# HEALTHCHECK SCREENING SERVICES APPENDICES

		Page #
1.	HealthCheck Laboratory and Immunization Codes	1D5-003
	a. HealthCheck Screening Codes	1D5-003a
		- W
2.	<ul> <li>b. HealthCheck Screening CPT Codes</li> <li>a. HealthCheck Referral/Modifier Codes for Claim Sort Indicator "H"</li> </ul>	1D5-005
	b. HealthCheck Referral/Modifier Codes for Claim Sort Indicator "P"	ID5-006
3.	National HCFA 1500 Claim Form Completion Instructions for HealthCheck Services	
4.	National HCFA 1500 Claim Form Samples	
	a. Comprehensive Screen with Immunization, Hemoglobin and Lab Handling Fee	
	("H" Claim Sort Indicator)	1D5-011
	b. Comprehensive Screen with Problem Identified ("P" Claim Sort Indicator)	1D5-013
	c. Comprehensive Screen with Pelvic Exam ("P" Claim Sort Indicator)	1D5-015
	d. Comprehensive Screen with Immunization and Lead Test Given	un et dan etterania in
	and the same of th	1D5-017
	The second secon	
	f. Environmental Lead Investigation ("P" Claim Sort Indicator) g Electronic Media Claims Sample Screen	1D5-018a
	g Electronic Media Claims Sample Screen	1D5-018b
5.	HealthCheck Periodicity Table	1D5-019
6.	Effective Oral Assessment	
7.	HealthCheck Individual Health History Form	
8	a. Age-Specific HealthCheck Food Records	
	b. Modified Basic Food Groups for Children	
	c. Daily Food Suggestions for Infants	
9.	HealthCheck Adolescent Review Form	
10.	HealthCheck Family History	
11.	HealthCheck Referral Form	1D5-039
	a. HealthCheck Verification Card	1D5-040
12.	WIC Medical Referral Forms	
	a. Ages 0-5	1D5-041
	b. Pregnant or Breastfeeding Women	
13.	Wisconsin Lead Testing Resources	1D5-045
	a. Preventing Lead Poisoning in Young Children	
	b. Lead Screening Guidelines	1D5-045c
	c. Lead Screening Questionnaire	
14.	High-Risk Factors for Hearing Loss in Neonates and Infants	
	a. Your Child's Speech and Hearing	
15.	Screening Schedule for Pediatric Eye Problems	
16.	HealthCheck Resource Guide	
17.	Allowable Place of Service and Type of Service Codes	
18	Allowable Place of Service, Type of Service, and Modifier Codes by Procedure Code	
	a. Allowable Place of Service, Type of Service and Modifier Codes for Claims Received	ed
	by the Fiscal Agent from 2/15/95 Through 6/30/95	1D5-063
	b. Allowable Place of Service, Type of Service and Modifier Codes for Claims Receive	
	by the Fiscal Agent On or After 7/1/95	1D5-063a
19.	EMC Questionnaire	
20.	Medical Assistance Vaccine for Children Program Shipping Report and Order Form	1D5-067
21.	ACIP Immunization Schedule	1D5-069
22.	Environmental Inspection Worksheet	1D5-071
23.	Instructions for Use of the Stat PA System  How to Access the Bulletin Board	DS-073
24	How to A coos the Dullatie Decal	

# HEALTHCHECK LABORATORY AND IMMUNIZATION CODES

# LABORATORY TESTS:

81002 Urinalysis, by dipstick , without microscopy, non-automated 81005 Urinalysis and qualitative or semi-qualitative, except immunoassays 82465 Cholesterol, serum; total 82960 Glucose-6-phosphate dehydrogenase (G6PD); screen 83020 Hemoglobin, electrophoresis (e.g., A2, S, C) 84203 Protoporphyria, RBC; screen 84478 Triglycerides 84703 Gonadotropin, chorionic (hCG); qualitative 85014 Blood count; other than spun, hematocrit 85018 Blood count; hemoglobin 85660 Sickling with RHC, reduction, slide mount 86280 Hemagglutination inhibition test (HAI) 86287 Hepatitis B surface antigen (HBsAg) 86289 Hepatitis B core antibody (HBsAb); IgC and IgM 86291 Hepatitis B core antibody (HBsAb); IgC and IgM 86291 Immunoassay for infectious agent antibody, quantitative, not elsewhere specified 86580 Skin Test; tuberculosis, intradermal 86585 Skin Test; tuberculosis, intradermal 86585 Skin Test; tuberculosis, tine test 86592 Syphilis Test, Qualitative (e.g., VDRL, RPR, ART) 86687 Antibody; HTLV II 86688 Antibody; HTLV or HIV antibody, condimatory test (e.g., Western Blot) 87045 Culture, bacterial, definitive; stool 87081 Culture, bacterial, irrie; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 9000 Lab Handling Fee	Code	Description
Cholesterol, serum; total Glucose-6-phosphate dehydrogenase (G6PD); screen Glucose-6-phosphate dehydrogenase (G6PD); screen Glucose-6-phosphate dehydrogenase (G6PD); screen Hemoglobin, electrophoresis (e.g., A2, S, C) Protoporphyria, RBC; screen Friglycerides Gonadotropin, chorionic (hCG); qualitative Blood count; other than spun, hematocrit Blood count; hemoglobin Blood count; hemoglobi	81002	Urinalysis, by dipstick, without microscopy, non-automated
Glucose-6-phosphate dehydrogenase (G6PD); screen  83020 Hemoglobin, electrophoresis (e.g., A2, S, C)  84203 Protoporphyria, RBC; screen  84478 Triglycerides  84703 Gonadotropin, chorionic (hCG); qualitative  85014 Blood count; other than spun, hematocrit  85018 Blood count; hemoglobin  85660 Sickling with RHC, reduction, slide mount  86280 Hemagglutination inhibition test (HAI)  86287 Hepatitis B surface antigen (HBsAg)  86289 Hepatitis B core antibody (HBsAb); IgC and IgM  86291 Hepatitis B surface antibody (HBsAb)  86317 Immunoassay for infectious agent antibody, quantitative, not elsewhere specified  86580 Skin Test; tuberculosis, intradermal  86581 Skin Test; tuberculosis, inte test  86592 Syphilis Test, Qualitative (e.g., VDRL, RPR, ART)  86687 Antibody; HTLV I  86688 Antibody; HTLV II  86689 Antibody, HTLV II Antibody, condimatory test (e.g., Western Blot)  87045 Culture, bacterial, definitive; stool  87081 Culture, bacterial, urine; quantitative, colony count  87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites  87220 Tissue examination for fungi (e.g., KOH slide)  88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	81005	Urinalysis and qualitative or semi-qualitative, except immunoassays
Hemoglobin, electrophoresis (e.g., A2, S, C)  Resultable Protoporphyria, RBC; screen  Resultable Protoporphyria, Res	82465	Cholesterol, serum; total
84203 Protoporphyria, RBC; screen 84478 Triglycerides 84703 Gonadotropin, chorionic (hCG); qualitative 85014 Blood count; other than spun, hematocrit 85018 Blood count; hemoglobin 85660 Sickling with RHC, reduction, slide mount 86280 Hemagglutination inhibition test (HAI) 86287 Hepatitis B surface antigen (HBsAg) 86289 Hepatitis B core antibody (HBsAb) 86317 Immunoassay for infectious agent antibody, quantitative, not elsewhere specified 86580 Skin Test; tuberculosis, intradermal 86585 Skin Test; tuberculosis, intradermal 86585 Skin Test; tuberculosis, tine test 86592 Syphilis Test, Qualitative (e.g., VDRL, RPR, ART) 86687 Antibody; HTLV I 86688 Antibody; HTLV II 86689 Antibody, HTLV IV II 86689 Antibody, HTLV IV II 86689 Culture, bacterial, definitive; stool 87081 Culture, bacterial, screening only, for single organisms 87086 Culture, bacterial, urine; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	82960	Glucose-6-phosphate dehydrogenase (G6PD); screen
Triglycerides Gonadotropin, chorionic (hCG); qualitative Blood count; other than spun, hematocrit Blood count; other than spun, hematocrit Blood count; hemoglobin Sickling with RHC, reduction, slide mount Hemagglutination inhibition test (HAI) Hepatitis B surface antigen (HBsAg) Hepatitis B core antibody (HBsAb); IgC and IgM Hepatitis B surface antibody (HBsAb); IgC and IgM Hepatitis B surface antibody (HBsAb) Sin Test; tuberculosis, intradermal Sin Test; tuberculosis, intradermal Sin Test; tuberculosis, tine test Syphilis Test, Qualitative (e.g., VDRL, RPR, ART) Antibody; HTLV I Antibody; HTLV I Antibody; HTLV or HIV antibody, condimatory test (e.g., Western Blot) Culture, bacterial, definitive; stool Culture, bacterial, urine; quantitative, colony count Since Culture, bacterial, urine; quantitative, colony count Tissue examination for fungi (e.g., KOH slide) Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	83020	Hemoglobin, electrophoresis (e.g., A2, S, C)
Sonadotropin, chorionic (hCG); qualitative Blood count; other than spun, hematocrit Blood count; hemoglobin Sickling with RHC, reduction, slide mount Hemagglutination inhibition test (HAI) Beaterial Burface antigen (HBsAg) Hepatitis B surface antigen (HBsAb); IgC and IgM Hepatitis B surface antibody (HBsAb); IgC and IgM Hepatitis B surface antibody (HBsAb) Hepatitis B surface antibody, quantitative, not elsewhere specified Signature Skin Test; tuberculosis, intradermal Signature Skin Test; tuberculosis, intradermal Signature Skin Test, Qualitative (e.g., VDRL, RPR, ART) Antibody; HTLV II Antibody; HTLV II Antibody; HTLV or HIV antibody, condimatory test (e.g., Western Blot) Culture, bacterial, definitive; stool Culture, bacterial, screening only, for single organisms Culture, bacterial, urine; quantitative, colony count Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites Tissue examination for fungi (e.g., KOH slide) Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	84203	Protoporphyria, RBC; screen
Blood count; other than spun, hematocrit Blood count; hemoglobin Sickling with RHC, reduction, slide mount Hemagglutination inhibition test (HAI) Hepatitis B surface antigen (HBsAg) Hepatitis B surface antibody (HBsAb); IgC and IgM Hepatitis B surface antibody (HBsAb) Hepatitis B surface antibody (HBsAb)  Kin Test; tuberculosis, intradermal Kin Test; tuberculosis, intradermal Kin Test; tuberculosis, interest test Syphilis Test, Qualitative (e.g., VDRL, RPR, ART)  Antibody; HTLV II  Antibody; HTLV II  Antibody; HTLV or HIV antibody, condimatory test (e.g., Western Blot)  Culture, bacterial, definitive; stool Culture, bacterial, screening only, for single organisms  Culture, bacterial, urine; quantitative, colony count  Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites Tissue examination for fungi (e.g., KOH slide)  Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	84478	Triglycerides
Blood count; hemoglobin Sickling with RHC, reduction, slide mount Hemagglutination inhibition test (HAI) Hepatitis B surface antigen (HBsAg) Hepatitis B core antibody (HBsAb); IgC and IgM Hepatitis B surface antibody (HBsAb); IgC and IgM Hepatitis B surface antibody (HBsAb) Hepatitis B surface antibody (HBsAb) Hepatitis B surface antibody (HBsAb) Skin Test; tuberculosis, intradermal Skin Test; tuberculosis, intradermal Skin Test; tuberculosis, tine test Skin Test; tuberculosis, tine test Syphilis Test, Qualitative (e.g., VDRL, RPR, ART) Antibody; HTLV I Antibody; HTLV II Culture, bacterial, definitive; stool Culture, bacterial, definitive; stool Stool Tissue examination for fungi (e.g., KOH slide) Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	84703	Gonadotropin, chorionic (hCG); qualitative
Sickling with RHC, reduction, slide mount  Hemagglutination inhibition test (HAI)  Hepatitis B surface antigen (HBsAg)  Hepatitis B core antibody (HBcAb); IgC and IgM  Hepatitis B surface antibody (HBsAb)  Kin Test; tuberculosis, intradermal  Skin Test; tuberculosis, intradermal  Skin Test; tuberculosis, itne test  Syphilis Test, Qualitative (e.g., VDRL, RPR, ART)  Antibody; HTLV I  Antibody; HTLV II  Antibody; HTLV or HIV antibody, condimatory test (e.g., Western Blot)  Culture, bacterial, definitive; stool  Culture, bacterial, screening only, for single organisms  Culture, bacterial, urine; quantitative, colony count  Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites  Tissue examination for fungi (e.g., KOH slide)  Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	85014	Blood count; other than spun, hematocrit
Hemagglutination inhibition test (HAI)  86287 Hepatitis B surface antigen (HBsAg)  86289 Hepatitis B core antibody (HBcAb); IgC and IgM  86291 Hepatitis B surface antibody (HBsAb)  86317 Immunoassay for infectious agent antibody, quantitative, not elsewhere specified  86580 Skin Test; tuberculosis, intradermal  86585 Skin Test; tuberculosis, tine test  86592 Syphilis Test, Qualitative (e.g., VDRL, RPR, ART)  86687 Antibody; HTLV I  86688 Antibody; HTLV II  86689 Antibody; HTLV or HIV antibody, condimatory test (e.g., Western Blot)  87045 Culture, bacterial, definitive; stool  87081 Culture, bacterial, screening only, for single organisms  87086 Culture, bacterial, urine; quantitative, colony count  87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites  87220 Tissue examination for fungi (e.g., KOH slide)  88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	85018	Blood count; hemoglobin
Hepatitis B surface antigen (HBsAg) Hepatitis B core antibody (HBcAb); IgC and IgM Hepatitis B surface antibody (HBsAb) Hepatitis B surface antibody (HBsAb) Hepatitis B surface antibody (HBsAb)  Kin Test; tuberculosis, intradermal Kin Test; tuberculosis, intradermal Kin Test; tuberculosis, tine test Kin Test; tuberculosis, intradermal Kin Test; tuberculosis, tine test Kin Test; tuberculosis, total test Kin Test; tuberculosis, test Kin Test;	85660	Sickling with RHC, reduction, slide mount
Hepatitis B core antibody (HBcAb); IgC and IgM Hepatitis B surface antibody (HBsAb)  Kin Test; tuberculosis, intradermal Kin Test; tuberculosis, intradermal Kin Test; tuberculosis, tine test Kin Test; tuberculosis, test Kin Test; tuber	86280	Hemagglutination inhibition test (HAI)
Hepatitis B surface antibody (HBsAb)  Immunoassay for infectious agent antibody, quantitative, not elsewhere specified  Skin Test; tuberculosis, intradermal  Skin Test; tuberculosis, tine test  Skin Test; tuberculosis, tine test  Skin Test, Qualitative (e.g., VDRL, RPR, ART)  Antibody; HTLV I  Antibody; HTLV II  Antibody, HTLV or HIV antibody, condimatory test (e.g., Western Blot)  Culture, bacterial, definitive; stool  Culture, bacterial, screening only, for single organisms  Culture, bacterial, urine; quantitative, colony count  Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites  Tissue examination for fungi (e.g., KOH slide)  Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		Hepatitis B surface antigen (HBsAg)
Immunoassay for infectious agent antibody, quantitative, not elsewhere specified  Skin Test; tuberculosis, intradermal  Skin Test; tuberculosis, tine test  Skin Test; tuberculosis, tine test  Syphilis Test, Qualitative (e.g., VDRL, RPR, ART)  Antibody; HTLV I  Antibody; HTLV II  Antibody, HTLV or HIV antibody, condimatory test (e.g., Western Blot)  Culture, bacterial, definitive; stool  Culture, bacterial, screening only, for single organisms  Culture, bacterial, urine; quantitative, colony count  Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites  Tissue examination for fungi (e.g., KOH slide)  Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	86289	
Skin Test; tuberculosis, intradermal Skin Test; tuberculosis, tine test Syphilis Test, Qualitative (e.g., VDRL, RPR, ART)  Antibody; HTLV I  Antibody; HTLV II  Antibody, HTLV or HIV antibody, condimatory test (e.g., Western Blot)  Culture, bacterial, definitive; stool  Culture, bacterial, screening only, for single organisms  Culture, bacterial, urine; quantitative, colony count  Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites  Tissue examination for fungi (e.g., KOH slide)  Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision	86291	
Skin Test; tuberculosis, tine test Syphilis Test, Qualitative (e.g., VDRL, RPR, ART)  Antibody; HTLV I  Antibody; HTLV II  Antibody, HTLV or HIV antibody, condimatory test (e.g., Western Blot)  Culture, bacterial, definitive; stool  Culture, bacterial, screening only, for single organisms  Culture, bacterial, urine; quantitative, colony count  Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites  Tissue examination for fungi (e.g., KOH slide)  Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		
86592 Syphilis Test, Qualitative (e.g., VDRL, RPR, ART) 86687 Antibody; HTLV I 86688 Antibody; HTLV II 86689 Antibody, HTLV or HIV antibody, condimatory test (e.g., Western Blot) 87045 Culture, bacterial, definitive; stool 87081 Culture, bacterial, screening only, for single organisms 87086 Culture, bacterial, urine; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		Skin Test; tuberculosis, intradermal
86687 Antibody; HTLV I 86688 Antibody; HTLV II 86689 Antibody, HTLV or HIV antibody, condimatory test (e.g., Western Blot) 87045 Culture, bacterial, definitive; stool 87081 Culture, bacterial, screening only, for single organisms 87086 Culture, bacterial, urine; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		Skin Test; tuberculosis, tine test
86688 Antibody; HTLV II 86689 Antibody, HTLV or HIV antibody, condimatory test (e.g., Western Blot) 87045 Culture, bacterial, definitive; stool 87081 Culture, bacterial, screening only, for single organisms 87086 Culture, bacterial, urine; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		Syphilis Test, Qualitative (e.g., VDRL, RPR, ART)
86689 Antibody, HTLV or HIV antibody, condimatory test (e.g., Western Blot) 87045 Culture, bacterial, definitive; stool 87081 Culture, bacterial, screening only, for single organisms 87086 Culture, bacterial, urine; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		• • • • • • • • • • • • • • • • • • • •
87045 Culture, bacterial, definitive; stool 87081 Culture, bacterial, screening only, for single organisms 87086 Culture, bacterial, urine; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		Antibody; HTLV II
87081 Culture, bacterial, screening only, for single organisms 87086 Culture, bacterial, urine; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		
87086 Culture, bacterial, urine; quantitative, colony count 87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide) 88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		
87210 Smear, primary source, with interpretation; wet mount with simple stain, for bacteria, fungi, ova, and/or parasites 87220 Tissue examination for fungi (e.g., KOH slide)  88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		Culture, bacterial, screening only, for single organisms
Tissue examination for fungi (e.g., KOH slide) Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		
88150 Cytopathology, smears, cervical or vaginal, up to three smears; screening by technician under physician supervision		
The state of the s		
99000 Lab Handling Fee		
	99000	Lab Handling Fee

# **IMMUNIZATIONS:**

4174	UVICINIZATI	ONO.
	Code	Description
*	90700	Diphtheria, tetanus toxoid, and acellular pertussis vaccine (DtaP)
*	907011	DTP (diphtheria and tetanus toxoids and pertussis vaccine)
•	90702	DT (diphtheria and tetanus toxoids)
	90704	Mumps virus vaccine, live
	90705	Measles virus vaccine, live, attenuated
	90706	Rubella virus vaccine, live
*	90707 <sup>2</sup>	MMR (measles, mumps and rubella virus vaccine, live)
	90708	MR (measles and rubella virus vaccine, live)
*	90712	Poliovirus vaccine, live, oral (any type) (OPV)
*	90718	Td (tetanus and diphtheria toxoids absorbed for adult use)
*	90720	DTP and Hib (Tetramune)
	90724	Influenza virus vaccine
*	90731	Hepatitis B vaccine
*	90737	Hib (Hemophilus Influenza B)
	90749	Unlisted immunization procedure
*	W7018 <sup>3</sup>	DTP, MMR and Oral Polio
*	W7020	Hepatitis B Vaccine (HB [pediatric])

<sup>\*</sup> Vaccine is provided through the VFC. Refer to Section II-L of this handbook for information on the VFC.

May not be billed with procedure code 90702 or 90718.

May not be billed with procedure codes 90704-90706 or 90708.

May not be billed with procedure codes 90701, 90704-90708, or 90712.

# APPENDIX 1a HEALTHCHECK SCREENING CODES

Effective for claims, with claim sort indicator "H", received by the fiscal agent through 6/30/95

COMPRE	HENSIVE SCREEN:
Code	Description
W7000	Comprehensive Screen
PARTIAL	SCREEN (Do not use if billing the comprehensive code):
Code	Description
W7002	Vision
W7003	Hearing
W7009	Dental
INTERPER	IODIC VISIT (follow-up on medically necessary issues between comprehensive screenings):
Code	Description
W7013	Brief Interperiodic (less than 15 minutes)
W7015	Intermediate Interperiodic (15 - 30 minutes)
W7016	Extended Interperiodic (over 30 minutes)
OTHER BII	LABLE SERVICES
Code	Description
W7010	HealthCheck Pelvic Exam
W7083	Initial Lead Inspection (requires prior authorization)
W7084	Follow-up Lead Inspection (requires prior authorization)
W7017	Educational Visit After Lead Inspection (1 visit only allowed)

# APPENDIX 1b DEFINITIONS OF HEALTHCHECK SCREENING CPT CODES

• These codes <u>may be used</u> for claims received by the fiscal agent on and after 2/15/95. They <u>must be used</u> for all claims received on and after 7/1/95. Always use claim sort indicator "P".

# Exam/Assessment NEW PATIENT Initial Evaluation<sup>1</sup>

CODE	DEFINITION	
99381	Infant (under 1 year)	
99382	Early Childhood (age 1 through 4 years)	
99383	Late Childhood (age 5 through 11 years)	
99384	Adolescent (age 12 through 17 years)	
99385	Age 18 through 20 years	

# Exam/Assessment ESTABLISHED PATIENT

Periodic Evaluation<sup>1</sup>

CODE	DEFINITION
99391	Infant (under 1 year)
99392	Early Childhood (age 1 through 4 years)
99393	Late Childhood (age 5 through 11 years)
99394	Adolescent (age 12 through 17 years)
99395	Age 18 through 20 years

# **Interperiodic Screens**

(follow-up on medically necessary issues between comprehensive screens)

CODE	DEFINITION
W7013	Brief Interperiodic (less than 15 min)
W7015	Intermediate Interperiodic (15 - 30 min)
W7016	Extended Interperiodic (over 30 min)

<sup>&</sup>lt;sup>1</sup> These codes require the use of HealthCheck modifier, if you did a comprehensive HealthCheck screen.

# APPENDIX 1b (continued) DEFINITIONS OF HEALTHCHECK SCREENING CPT CODES

# **Partial Screens**

(do not use if billing a comprehensive code)

CODE	DEFINITION	
W7002	Vision Screen	
W7003	Hearing Screen	
W7009	Oral Assessment	

# Other Billable Services

CODE	DESCRIPTION	
W7010	HealthCheck Pelvic Exam	
W7083	Initial Environmental Lead Inspection <sup>1</sup>	
W7084	Follow-up Environmental Lead Inspection <sup>1</sup>	
W7017	Educational Visit for Lead Poisoning <sup>2</sup>	

<sup>&</sup>lt;sup>1</sup>Requires prior authorization

<sup>&</sup>lt;sup>2</sup>May only be billed when a prior authorization for lead inspection has been granted.

# APPENDIX 28 HEALTHCHECK REFERRAL/MODIFIER CODES

- These referral codes must only be used with "local" HealthCheck codes and only on claims received prior to 7/1/95
- 01 No referral needed (test normal)
- 02 Problem already under treatment
- 03 Physician specialist (off site)
- 04 Dentist
- 05 Eye specialist
- 06 Other specialist (May include referrals for HealthCheck "Other Services". Refer to Section II-F of this handbook for a description of HealthCheck "Other Services".)
- 07 Social services agency
- 08 Immunized on site
- 09 Public health agency
- 10 Headstart Program (Education)
- 11 Mental Health/AODA Program
- 12 Children with Special Health Care Needs Program
- 13 Immunization (not on-site)
- 14 WIC Program/Nutritionist (see Appendix 12 for WIC Referral Form)
- 15 Hearing specialist (audiologist)
- 16 Family Planning
- 17 Prenatal Care Program
- 18 Car safety Seat Program
- 19 Early Intervention Services
- 20 Developmental Disabilities Services

# APPENDIX 2b HEALTHCHECK REFERRAL/MODIFIER CODES

❖ Modifier and referral codes to be used with CPT code billing of comprehensive HealthCheck screens.

# HealthCheck Nursing Agencies ONLY

(HealthCheck screener agencies such as local public health agencies)

- **HA** Medical referral (other than dental, vision or hearing) is needed and a referral has been made, or the patient will return to this agency for follow-up.
- HB Vision and/or hearing referral is needed and the referral to a specialist has been made.\*
- **HC** No medical referral (other than dental, vision or hearing) is needed, or treatment was provided during the screen.

#### All Other HealthCheck Providers

(Physicians, Independent Nurse Practitioners & Physician Assistants)

- MR Medical referral (other than dental, vision or hearing) is needed and a referral has been made, or the patient will return to this practice for follow-up.
- VH Vision and/or hearing referral is needed and the referral to a specialist has been made.\*
- **NO** No medical referral (other than dental, vision or hearing) is needed, or treatment was provided during the screen.
- \* If both the vision/hearing referral code and the medical referral code apply, use the medical referral code. This information is necessary for federal reporting.

# APPENDIX 3 NATIONAL HCFA 1500 CLAIM FORM COMPLETION INSTRUCTIONS FOR HEALTHCHECK SERVICES

To avoid denial or inaccurate claim payment, providers must use the following claim form completion instructions. Enter all required data on the claim form in the appropriate element. Do not include attachments unless instructed to do so. All elements are required unless "not required" is specified.

Wisconsin Medical Assistance recipients receive a Medical Assistance identification card upon initial enrollment into the Wisconsin Medical Assistance Program (WMAP) and at the beginning of each month thereafter. Providers should always see this card before rendering services. Please use the information exactly as it appears on the Medical Assistance identification card to complete the patient and insured information.

## ELEMENT 1 - Program Block/Claim Sort Indicator

Enter claim sort indicator "H" for the service billed in the Medicaid check box when billing using local codes for claims received before 7/1/95. Enter claim sort indicator "P" when billing using CPT codes. Claims submitted without this indicator are denied.

#### ELEMENT 1a - INSURED'S I.D. NUMBER

Enter the recipient's ten-digit Medical Assistance identification number as found on the current Medical Assistance identification card. This element must contain no other numbers, unless the claim is a Medicare crossover claim, in which case the recipient's Medicare number may also be indicated.

## **ELEMENT 2 - PATIENT'S NAME**

Enter the recipient's last name, first name, and middle initial as it appears on the current Medical Assistance identification card.

NOTE: A provider may submit claims for an infant if the infant is ten days old or less on the date of service and the mother of the infant is a Medical Assistance recipient. To bill for an infant using the mother's Medical Assistance identification number, enter the mother's last name followed by "Newborn" in element 2. Enter the infant's date of birth in element 3. In element 4 enter the mother's name followed by "Mom" in parentheses. Finally, in element 1A enter the mother's ten-digit Medical Assistance identification number.

# ELEMENT 3 - PATIENT'S BIRTH DATE, PATIENT'S SEX

Enter the recipient's birth date in MM/DD/YY format (e.g., February 3, 1955, would be 02/03/55) as it appears on the Medical Assistance identification card. Specify if male or female with an "X."

**ELEMENT 4 - INSURED'S NAME** (not required)

# **ELEMENT 5 - PATIENT'S ADDRESS**

Enter the complete address of the recipient's place of residence.

## ELEMENT 6 - PATIENT RELATIONSHIP TO INSURED (not required)

**ELEMENT 7 - INSURED'S ADDRESS** (not required)

**ELEMENT 8 - PATIENT STATUS (not required)** 

## **ELEMENT 9 - OTHER INSURED'S NAME**

Health insurance (commercial insurance coverage) must be billed prior to billing the WMAP, unless the service does not require health insurance billing according to Appendix 18a of Part A of the WMAP Provider Handbook.

- When the provider has not billed health insurance because the "Other Coverage" of the recipient's Medical Assistance identification card is blank, the service does not require health insurance billing according to Appendix 18a of Part A of the WMAP Provider Handbook, or the recipient's Medical Assistance identification card indicates "DEN" only, this element must be left blank.
- When "Other Coverage" of the recipient's Medical Assistance identification card indicates HPP, BLU, WPS, CHA or OTH, and the service requires health insurance according to Appendix 18a of Part A of the WMAP Provider Handbook, one of the following codes MUST be indicated in the <u>first</u> box of element 9. The description is not required, nor is the policyholder, plan name, group number, etc. (Elements 9a, 9b, 9c and 9d are not required.)

## Code Description

- OI-P PAID in part by health insurance. The amount paid by private insurance to the provider or the insured is indicated on the claim.
- OI-D DENIED by health insurance following submission of a correct and complete claim or payment was applied toward the coinsurance and deductible. Do NOT use this code unless the claim in question was actually billed to and denied by the private insurer.
- OI-Y YES, card indicates other coverage but it was not billed for reasons including, but not limited to:
  - Recipient denies coverage or will not cooperate;
  - The provider knows the service in question is noncovered by the carrier
  - Insurance failed to respond to initial and follow-up claim; or
  - Benefits not assignable or cannot get an assignment.
- When "Other Coverage" of the recipient's Medical Assistance identification card indicates "HMO" or "HMP", one of the following disclaimer codes must be indicated, if applicable:

# Code Description OI-P PAID by HMO or HMP. The amount paid is indicated on the claim. OI-H HMO or HMP does not cover this service or the billed amount does not exceed the coinsurance or deductible amount.

<u>Important Note:</u> The provider may *not* use OI-H if the HMO or HMP denied payment because an otherwise covered service was not rendered by a designated provider. Services covered by an HMO or HMP are not reimbursable by the WMAP except for the copayment and deductible amounts. Providers who receive a capitation payment from the HMO may not bill the WMAP for services which are included in the capitation payment.

# **ELEMENT 10 - IS PATIENT'S CONDITION RELATED TO (not required)**

# **ELEMENT 11 - INSURED'S POLICY, GROUP OR FECA NUMBER**

The <u>first</u> box of this element is used by the WMAP for Medicare information. (Elements 11a, 11b, 11c, and 11d are not required.) Medicare must be billed prior to billing to the WMAP. When the recipient's Medical Assistance identification card indicates Medicare coverage, but Medicare does not allow any charges, one of the following Medicare disclaimer codes MUST be indicated. The description is not required.

<u>Code</u>	<u>Description</u>
M-1	Medicare benefits exhausted. May be used by hospitals, nursing homes and home health agencies when Medicare has made payment up to the lifetime limits of its coverage.
M-5	Provider not Medicare certified for the benefits provided.
M-6	Recipient not Medicare eligible.
M-7	Medicare disallowed (denied) payment. Medicare claim cannot be corrected and resubmitted.
M-8	Medicare was not billed because Medicare never covers this service.

If Medicare is not billed because the recipient's Medical Assistance identification card indicated no Medicare coverage, this element must be left blank.

If Medicare allows an amount on the recipient's claim, the Explanation of Medicare Benefits (EOMB) must be attached to the claim and this element must be left blank. Do not enter Medicare paid amounts on the claim form. Refer to Appendix 17 of Part A of the WMAP Provider Handbook for further information regarding the submission of claims for dual entitlees.

#### **ELEMENTS 12 AND 13 - AUTHORIZED PERSON'S SIGNATURE**

(Not required since the provider automatically accepts assignment through Medical Assistance certification.)

ELEMENT 14 - DATE OF CURRENT ILLNESS, INJURY, OR PREGNANCY (not required)

ELEMENT 15 - IF PATIENT HAS HAD SAME OR SIMILAR ILLNESS (not required)

ELEMENT 16 - DATES PATIENT UNABLE TO WORK IN CURRENT OCCUPATION (not required)

ELEMENT 17 - NAME OF REFERRING PHYSICIAN OR OTHER SOURCE (not required)

ELEMENT 17a - I.D. NUMBER OF REFERRING PHYSICIAN (not required)

**ELEMENT 18 - HOSPITALIZATION DATES RELATED TO CURRENT SERVICES (not required)** 

## **ELEMENT 19 - RESERVED FOR LOCAL USE**

If an unlisted procedure code is billed, providers may describe the procedure in this element. If there is not enough space for the description, or if multiple unlisted procedure codes are being billed, providers must attach documentation to the claim describing the procedure(s). In this instance, providers must indicate "See Attachment" in element 19.

## **ELEMENT 20 - OUTSIDE LAB**

If a laboratory handling fee is billed, check "yes" to indicate that the specimen was sent to an outside lab. Otherwise, this element is not required.

# ELEMENT 21 - DIAGNOSIS OR NATURE OF ILLNESS OR INJURY

The International Classification of Disease. Ninth Edition, Clinical Modification (ICD-9-CM) diagnosis code must be entered for each symptom or condition related to the services provided. When a specific medical diagnosis has not been determined, indicate diagnosis code V70.0 (routine general medical examination at health care facility). The diagnosis description is not required.

**ELEMENT 22 - MEDICAID RESUBMISSION** (not required)

**ELEMENT 23 - PRIOR AUTHORIZATION** (not required)

#### **ELEMENT 24A - DATE(S) OF SERVICE**

Enter the month, day, and year for each procedure using the following guidelines:

When billing for one date of service, enter the date in MM/DD/YY format in the "From" field.

#### **ELEMENT 24B - PLACE OF SERVICE**

Enter the appropriate WMAP <u>single-digit</u> place of service code for each service. Refer to Appendix 18a and 18b of this handbook for allowable place of service codes.

#### **ELEMENT 24C - TYPE OF SERVICE CODE**

Enter the appropriate single-digit type of service code. Refer to Appendix 18a and 18b of this handbook for allowable type of service codes.

# **ELEMENT 24D - PROCEDURES, SERVICES, OR SUPPLIES**

Enter the appropriate five-character procedure code and, if applicable, a maximum of two, two-character modifiers. Refer to Appendix 1,1a and 1b of this handbook for a list of allowable procedure codes and to Appendix 2a and 2b for a list of allowable modifiers. See Appendices 18a and 18b for procedure codes with corresponding modifiers, place of service, type of service codes, and claim sort indicators.

# **ELEMENT 24E - DIAGNOSIS CODE**

When multiple procedures related to different diagnoses are submitted, column E must be used to relate the procedure performed (element 24D) to a specific diagnosis in element 21. Enter the number (1, 2, 3, or 4) which corresponds to the appropriate diagnosis in element 21.

#### **ELEMENT 24F - CHARGES**

Enter the total charge for each line.

## **ELEMENT 24G - DAYS OR UNITS**

Enter the total number of services billed for each line. A decimal must be indicated when a fraction of a whole unit is billed.

#### **ELEMENT 24H - EPSDT/FAMILY PLANNING**

Enter an "H" for each procedure that was performed as a result of a HealthCheck (EPSDT) referral. Enter an "F" for each family planning procedure. Enter a "B" if BOTH HealthCheck and family planning services were provided. If HealthCheck/family planning do not apply, leave this element blank.

# **ELEMENT 24I - EMG**

Enter an "E" for each procedure performed as an emergency, regardless of the place of service.

# **ELEMENT 24J - COB** (not required)

# **ELEMENT 24K - RESERVED FOR LOCAL USE**

Enter the eight-digit, Medical Assistance provider number of the performing provider for each procedure, if it is different than the billing provider number indicated in element 33. This element is not required for HealthCheck nursing agencies.

When applicable, enter the word "spenddown" and under it, the spenddown amount on the last detail line of element 24K directly above element 30. Refer to Section IX of Part A of the WMAP Provider Handbook for information on recipient spenddown.

Any other information entered in this column may cause claim denial.

## ELEMENT 25 - FEDERAL TAX ID NUMBER (not required)

# ELEMENT 26 - PATIENT'S ACCOUNT NO.

Optional - provider may enter up to 12 characters of the patient's internal office account number. This number will appear on the EDS Remittance and Status Report.

# **ELEMENT 27 - ACCEPT ASSIGNMENT**

(Not required, provider automatically accepts assignment through Medical Assistance certification.)

# **ELEMENT 28 - TOTAL CHARGE**

Enter the total charges for this claim.

## **ELEMENT 29 - AMOUNT PAID**

Enter the amount paid by other insurance. If the other insurance denied the claim, enter \$0.00. (If a dollar amount is indicated in element 29, "OI-P" must be indicated in element 9.)

# **ELEMENT 30 - BALANCE DUE**

Enter the balance due as determined by subtracting the recipient spenddown amount in element 24K and the amount paid in element 29 from the amount in element 28.

# **ELEMENT 31 - SIGNATURE OF PHYSICIAN OR SUPPLIER**

The provider or the authorized representative must sign in element 31. The month, day, and year the form is signed must also be entered in MM/DD/YY format.

NOTE: This may be a computer-printed or typed name and date, or a signature stamp with the date.

# **ELEMENT 32 - NAME AND ADDRESS OF FACILITY WHERE SERVICES RENDERED**

If the services were provided to a recipient in a nursing home (place of service 7 or 8), indicate the nursing home's eight-digit Medical Assistance provider number.

# ELEMENT 33 - PHYSICIAN'S, SUPPLIER'S BILLING NAME, ADDRESS, ZIP CODE AND PHONE #

Enter the provider's name (exactly as indicated on the provider's notification of certification letter) and address of the billing provider. At the bottom of element 33, enter the billing provider's eight-digit Medical Assistance provider number.

# **APPENDIX 4a**

# SAMPLE HCFA 1500 CLAIM FORM

# COMPREHENSIVE SCREEN WITH IMMUNIZATION,

# HEMOGLOBIN, AND LAB HANDLING FEE FOR LEAD SCREENING CLAIM SORT INDICATOR "H"

# RECEIVED BY THE FISCAL AGENT THROUGH 6/30/95 ANY HEALTH CHECK PROVIDER

MEDICARE	MEDICAID CH	AMPUS		CHAMPVA	GROUP	FE	IEALTH		1a. INSURED'S I.D. N		0		(FOR P	ROGRAM IN ITEM 1
(Medicare #)		onsor's S	SA)	(VA File #)	HEALTH	PLAN BL	K LUNG	(ID)	123456789		•		,,	
	ast Name, First Name.			13	PATIENT'S B	IRTH DATE	SEX		4. INSURED'S NAME		me, Firs	t Name.	Middle	initial)
Recipient,	Tm A				MM DD		<b>1</b> ₹	$\Box$						
PATIENT'S ADDRES				- 6	PATIENT RE	<u> </u>			7. INSURED'S ADDRE	SS (No	. Street)			
09 Willow	St.			İ	Self Sp	ouse Chile	d Other	· 🗀						
ly				STATE 8	. PATIENT STA	ATUS			CITY					STATE
nytown				WI	Sırible	Marned	Other							l
CODE	TELEPHON	NE (Inclu	de Area			J 4		سا	ZIP CODE		TEL	EPHON	E (INCL	UDE AREA CODE)
5555	( xxx	XXX	-XX	<del>ox</del>	Employed	Full-Time Student	Part-Time Student	<b>'</b>				(	)	
	NAME (Last Name, Fe				10. IS PATIENT			O:	11. INSURED'S POLK	Y GRO	UP OR F	ECA N	UMBER	<del></del>
OTHER INSURED'S	POLICY OR GROUP	NUMBER	1		. EMPLOYMEN	IT? (CURREN	T OR PREVIO	US)	a. INSURED'S DATE (	OF BIRT	Н			SEX
				İ		YES [	NO		MM DL			M		F
THER INSURED'S	DATE OF BIRTH	SE)	(		. AUTO ACCID	ENT?	PLACE	(State)	b. EMPLOYER'S NAM	E OR S	CHOOL	NAME		
MM , DD , YY	. ₩Г	٦	F	7	Г	YES [	NO							
MPLOYER'S NAME	OR SCHOOL NAME				OTHER ACC	DENT?		-	c. INSURANCE PLAN	NAME (	OR PRO	GRAM I	NAME	
					Г	YES [	NO							
NSURANCE PLAN	IAME OR PROGRAM	NAME			Od. RESERVE	FOR LOCAL	USE		d. IS THERE ANOTHE	R HEAL	TH BEN	EFIT PL	AN?	
•									YES [	NO	# yes	. return 1	to and c	omplete item 9 a-d.
	READ BACK OF F								13. INSURED'S OR A		ZED PE	RSON'S	SIGNA	TURE I authorize
	THORIZED PERSON'S  . I also request paymen								payment of medica services described		s to the	undersiç	gned phy	rsician or supplier to
below.		•			•									
SIGNED					DATE				SIGNED					
DATE OF CURREN	T: A ILLNESS (First		n) OR		PATIENT HAS	HAD SAME OF		NESS.	16. DATES PATIENT	UNABLE	TO WO	RK IN C	CURREN	IT OCCUPATION
MM DD YY	INJURY (Accid	ent) OR LMP)		G	VE FIRST DAT	E MM   DI	D 1 YY		FROM DC	1		TC	MM	DO   YY
NAME OF REFERE	ING PHYSICIAN OR C		OURCE	17a. i.	D. NUMBER O	F REFERRING	PHYSICIAN		18. HOSPITALIZATIO	N DATE	S RELA	TED TO	CURRE	NT SERVICES
									FROM DE	'   '		TC		, 00 , 11
RESERVED FOR L	DCAL USE						<del> </del>		20. OUTSIDE LAB?			\$ CHA	VAGES	<del></del>
									₩ YES	NO				
DIAGNOSIS OF NA	TURE OF ILLNESS O	R INJUR	Y. (REL	ATE ITEMS 1,2	3 OR 4 TO ITE	M 24E BY LIN	E)		22. MEDICAID RESU	MISSIC	N CS.	31NA: 5	REF. NO	<del>*</del> .
. <b>∀70.0</b>							+	•	CODE		UHK	SHRAL F	ser. NO	
4,0.0				3.					23. PRIOR AUTHORIZ	ZATION	NUMBE	R		
				4.	ı				ļ					
A		В	С		D		E		F	G	Н	1	J	ĸ
DATE(S) OF	SERVICETO	Place	Type	(Explain	S, SERVICES, Unusual Circui		DIAGNU		S CHARGES	OR	EPSD1 Family	EMG	cos	RESERVED FOR
M DD YY		Service		CPT/HCPCS	MODIF		coo	* <u> </u>	a CHAMBES	UNITS		EMIG	100	LOCAL USE
4 01 95	1 1	3	,	W7000	08				<b>XX XX</b>	1	}		1	1
7 JUL 7 J	<u> </u>	1-		- THE COURT			1		I	1			1	<u> </u>
4 101 195	, }	3	1	90707		3	1	Ž.	XX XX	1	1	1		1
	1	+	-	2				—- j		T	t	†	1	
	1 1	3	1	90720	1. 1	Į	1	5	XX XX	1	1	1		1
4 101 195		+		· 2			3			1	†	1	<del>                                     </del>	1
4 101 195	· · · ·		1 5	83020	1 !		1		XX XX	1	1		1	1
<del></del>	1	3	5 i				3		1	+	<del> </del>	1-	<del>                                     </del>	1
<del></del>		3	5	#			4 .	3	XX XX	1	1	i	1	1
4   01   95		3	5	ŧ			1	E			1	1	1	į
4 01 95		1		99000				2	- 1	┿	-	-		
4  01   95		1		ŧ			1		-					
4 01 95	NUMBER SON	3	5	99000	COUNT NO.	27. ACC	PT ASSIGNM	ENT?	28 TOTAL CHARGE		29 AM	OUNT P	AID	30. BALANCE DE
4 01 95 4 01 95	NUMBER SSN	3	5	99000	COUNT NO.	(For go	PT ASSIGNM	ENT?	28. TOTAL CHARGE		29. AMC	OUNT PA	AID	30. BALANCE DU
4 01 95 4 01 95 FEDERAL TAX LD		3 EIN	5	99000 PATIENT'S AC 234JD		(For go	PT ASSIGNM W. Claims, see MO	ENT? beck)	s XXX X	x	\$		1	* XXX
4 IO1 95 4 IO1 95 FEDERAL TAX I.D. SIGNATURE OF PI	NSICIAN OR SUPPLI	3 EIN ER S	5 26.	99000 PATIENT'S AC 234JD NAME AND AC	COUNT NO.	(For go	PT ASSIGNM W. Claims, see MO	ENT? beck)	1 200	x	\$		1	* XXX
4 01 95  4 01 95  FEDERAL TAX I.D.  SIGNATURE OF PRINCLUDING DEGR. (I contrib) that the sta	IYSICIAN OR SUPPLI	3 EIN ER	5 26.	99000 PATIENT'S AC 234JD NAME AND AC	DRESS OF FA	(For go	PT ASSIGNM W. Claims, see MO	ENT? beck)	\$ XXX X 33. PHYSICIAN'S, SU & PHONE #	X	\$ I'S BILLI		1	* XXX
4 01 95  4 01 95  FEDERAL TAX I.D.  SIGNATURE OF PINCLUDING DEGREE (I certify that the apply to these ball and apply to these ball and	NYSICIAN OR SUPPLIES OR CREDENTIAL	EIN ER S	5 26. 1	99000 PATIENT'S AC 234JD NAME AND AC	DRESS OF FA	(For go	PT ASSIGNM W. Claims, see	ENT? beck)	S XXX X	X PPLIER	s rs Billi Lng		1	* XXX

# APPENDIX 4b SAMPLE HCFA 1500 CLAIM FORM COMPREHENSIVE SCREEN WITH PROBLEM IDENTIFIED CLAIM SORT INDICATOR "P" RECEIVED BY EDS ON OR AFTER 2/15/95 PHYSICIAN BILLER

							. IF A ! <b>T</b> ! ! !A		<b>.</b> .						
1. MEDICARE	MEDICAID	CHAMPLE	s	CHAMPV	A GRO		HEALTH IN	R 1a. INSURE				RM	(50D)	22000	
	(Medicaid #)		-	(VA File	HEA	LTH PLAN F	SLK LUNG (ID)	i			•		(FOR I	PROGRAMI	NIIEM 1)
PATIENT'S NAME (				<u> </u>	3 PATIENT	'S BIRTH DATE		4. INSURED	3456			-t No-	Advetek	- Industr	
Recipient	. Tm A				MM	DD YY A	SEX	4. #450FiED	3 NAME	(Latsi Na	UTRE, PR	SI NUMBER	, MICOR	e muca)	
PATIENT'S ADDRE						RELATIONSHIP		7. INSURED	S ADDR	ECC (No	Chan				
609 W111ov	a St				Self	Spouse Ch		/. INSURED	S AUUNI	235 (NO	Street	()			
ITY				STATE	8 PATIENT			СПУ							
Anytown				WI				Cirr						S	TATE
IP CODE	TELE	PHONE (Incl	urle Are		Single	Marned	Other	717 0005			7=				
55555		XX ) XX			Employed	Full-Time	Part-Time	ZIP CODE			TE	LEPHOI /	VE (INC	LUDE AREA	(CODE)
OTHER INSURED'S	1 1	,			40 15 047	Student	Student		_			<u> </u>			
OTTICH WISCHEDS	TOTAL (Last Nati	PC, FRSI NGIII	e. Miluci	e manan	IV. IS PATE	ENT'S CONDITIC	N RELATED TO:	11. INSURED	S POLIC	CY GRO	UP OR	FECA N	UMBER	7	
OTHER INSURED'S	POLICY OF CR	OUD NUMBE	<u> </u>			····									
OTTEN INSURED 3	FOLICI ON GIV	OUP NUMBE	п		a. EMPLOTE		T OR PREVIOUS)	a. INSURED:	S DATE (	OF BIRT	н			SEX	
CT. ISS NO.					-	∐ YES [	NO					N.	' 🔲	F	
OTHER INSURED'S	DATE OF BIRTH			_	b. AUTO AC		PLACE (State	b. EMPLOYE	R'S NAM	E OR S	CHOOL	NAME			
F1101011F		М	F.	_1		YES [	NO								
EMPLOYER'S NAME	OR SCHOOL N	AME			c. OTHER A	CCIDENT?		c. INSURANC	E PLAN	NAME C	R PRO	GRAM	NAME		
						YES [		1							
INSURANCE PLAN	NAME OR PROG	RAM NAME			10d RESER	VED FOR LOCAL	USE	d. IS THERE	ANOTHE	R HEAL	TH BEN	NEFIT P	LAN?		
								YES		NO	ll yes	. return	to and c	complete iten	n 9 a-d.
PATIENT'S OR AU	READ BACK	OF FORM BE	FORE	COMPLETING	& SIGNING	THIS FORM.		13. INSURED							
to process this claim	. I also request pa	syment of govi		benefits either	to myself or to	the party who acc	mormanon necessary septs assignment	payment of services d			s to the	undersiç	pned ph	ysician or su	pplier for
below.															
SIGNED					DA	TE		SIGNED							
DATE OF CURREN	T. ILLNESS	(First sympto	m) OR	15.	IF PATIENT H	AS HAD SAME O	R SIMILAR ILLNESS								
MM DD YY		Accident) OR NCY(LMP)		1	GIVE FIRST D	ATE MM   D	0 1		DO	YY	10 110	TC	MM	DD	YY
NAME OF REFERR	ING PHYSICIAN	OR OTHER	SOURC	E 17a	I.D. NUMBER	OF REFERRING	PHYSICIAN	18. HOSPITA	LIZATION	DATES	RELA			NT SERVE	ES
								FROM		· YY		тс	MM	DD	
RESERVED FOR LO	OCAL USE		-	1				20. OUTSIDE	LAB?			\$ CHA		<del></del>	
								YES	_	NO !		• 0	o ioco	1	
. DIAGNOSIS OR NA	TURE OF ILLNES	SS OR INJUR	Y. (RE	ATE ITEMS 1	.2.3 OR 4 TO	ITEM 24E BY LIN	(E) ————	22. MEDICAI	السا						
, 599 7							· 🗼	CODE		1	ORK	GINAL F	EF. NO	).	
				3	·		·	23. PRIOR AL	THORIZ	ATIONA	JI IAADE				
. 1										A11041	TOMOL				
. ^		В	С	<del>4</del>	· <u> </u>	<del></del>	٦ E	F-		1 ~	<del></del>		,		
DATE(S) OF	SERVICETO	Place	Туре	PROCEDUF	ES. SERVICE	S. OR SUPPLIES		<del> </del>		DAYS	EPSDT	<del>  '-</del>	-	RESERV	
M DD YY	MM DD	YY Service	of Service		in Unusual Circ		CODE	\$ CHARG	ÆS	UNITS	Family Plan	EMG	СОВ	LOCAL	
12 15 05	!!!			1.	1 1	Į.		4	:						
3 15 95		3	1	9938	I MR		1	<u> </u>	XX	1	<u> </u>	<u> </u>		6543:	210
12 15 105	1 1		١. ا			į.		]	i			1	1	1	
13 15 95		3	1	9071	2   ;		1	XX X	XX	1				65432	210
	. 1	_		F				1		]					
3 15 95		3	1	9072	0		1 ;	XX	XX	1		<u></u>	<u> </u>	65432	210
		+		k		i i		4							•
				<u> </u>				1							
				<b>.</b>		B	1	1							
						į.	4	1	2						
, 7				L		ļ.		1				-			
				<b>.</b>	!		] [	.I						l	
FEDERAL TAX I.D. N	NUMBER S	SSN EIN		PATIENT'S A	CCOUNT NO.	27. ACCE	PT ASSIGNMENT? vt. claims, see back)	28. TOTAL CH	ARGE	129	AMO	UNT PA	ID.	30. BALAN	CE DUE
			1	234JD		(For go			XX			FA		_	CE DOE
SIGNATURE OF PH			32.	NAME AND A	DDRESS OF F	ACILITY WHERE	SERVICES WERE	33. PHYSICIAI		, ,		C NAA	- 400	. •	
INCLUDING DEGRE	ES OR CREDEN	TIALS	1	RENDERED (	If other than ho	ome or office)		I & PHONE	,			INAM:	E, ADDI	ness, ZIP C	CODE
apply to the bill and a								I. M.							
. M. Autho	orized		į					1 W. 1	W111:	iams					
		אב/ עע,						Anyto	wn. I	WI 5	555.	5			
GNED_	ran 6	DD/AA						PINE	•	_	- 1	SRP#	876	54321	

# SAMPLE HCFA 1500 CLAIM FORM COMPREHENSIVE SCREEN WITH PELVIC EXAM CLAIM SORT INDICATOR "P" RECEIVED BY FDS ON OP AFTER 2/15/05

RECEIVED BY EDS ON OR AFTER 2/15/95 PHYSICIAN BILLER

							HEALTH IN	SURAN	CE CL	AIM F	ORM			
i	DICAID CH	AMPUS	ì	CHAMPV	GROUP HEALTH		ECA OTHE LK LUNG	R 1a. INSURE	O'S I.D. NL	IMBER		(FOR	PROGRAM	IN ITEM 1)
L ibi		onsor's	L	(VA File	(SSN o	r ID)	(SSN) (ID)	12345	67890	l				
2. PATIENTS NAME (Last I		Middle	inital)		3. PATIENT'S B	YY	SEX	4. INSURED	S NAME (	Last Name.	First Nam	e, Middle	e inmal)	
Recipient,					MM DD	YY N	X F							
5. PATIENT'S ADDRESS (N					6. PATIENT RE	LATIONSHIP	TO INSURED	7. INSURED	S ADDRE	SS (No., Str	eet)			
609 Willow S	St.				Self Sp	ouse Chi	ld Other							
CITY				STATE	8. PATIENT ST	ATUS		CITY						STATE
Anytown.				WI	Single	Marned [	Other							
ZIP CODE	TELEPHON	VE (Incl	ude Are	a Code)				ZIP CODE		1	ELEPHO	NE (INC	LUDE ARI	EA CODE)
55555	( <b>XXX</b> )	,			Employed	Full-Time Student	Part-Time Student	ļ			(	)		
9. OTHER INSURED'S NAM	E (Last Name, Fir	st Name	a. Middle	tnitial)	10. IS PATIENT	'S CONDITIO	N RELATED TO:	11. INSURED	'S POLIC	GROUP O	R FECA I	NUMBER	A .	
0I <b>-</b> ¥														
a. OTHER INSURED'S POLI	ICY OR GROUP N	UMBE	9		a. EMPLOYMEN	CURREN) ۱۳۳۶	T OR PREVIOUS)	a. INSURED'S	S DATE O	F BIRTH			SEX	
·					] [	YES [	NO	1		* 1		u 🗀		F 🗀
b. OTHER INSURED'S DATE	E OF BIRTH	SE			b. AUTO ACCID	ENT?	PLACE (State)	b. EMPLOYE	R'S NAME	OR SCHOO	DL NAME			EA CODE)
	M	<u> </u>	F			YES [	NO							
c. EMPLOYER'S NAME OR	SCHOOL NAME				c. OTHER ACCI	DENT?		c. INSURANC	E PLAN N	AME OR P	ROGRAM	NAME		
	_					YES [	NO							
d INSURANCE PLAN NAME	OR PROGRAM I	NAME			10d. RESERVE	FOR LOCAL	USE	d. IS THERE	ANOTHER	HEALTH B	ENEFIT F	LAN?		
								YES		NO # y	es, return	to and c	complete is	- (
12. PATIENT'S OR AUTHOR to process this claim. I als	RIZED PERSON'S	SIGNA	TURE I	authorize the	A SIGHING THIS release of any med to myself or to the	dical or other in	formation necessary	13. INSURED payment of services d	of medical i	penefits to th	PERSON' ne unders	S SIGNA gned ph	ATURE I a	uthorize supplier for
below.							•		90.000					İ
SIGNED					DATE			SIGNED						}.
14 DATE OF CURRENT.	ILLNESS (First	sympto	m) OR	15.	IF PATIENT HAS I	HAD SAME O	R SIMILAR ILLNESS	16. DATES P		VARIE TO V	MORK IN	CUBBE	NT OCCU	PATION
MM DD YY	PREGNANCY(L	ent) OR LMP)		'	GIVE FIRST DATE	E MM   D	D   <b>YY</b>	FROM	DD	YY	Ti	MM	DO	77
17. NAME OF REFERRING	PHYSICIAN OR O	THERS	OURCE	17a	I.D. NUMBER OF	REFERRING	PHYSICIAN	18. HOSPITA	LIZATION	DATES REL	ATED TO	CURRI	ENT SERV	ICES
								FROM	t DD	<b>, Y</b> Y	T	MM	, <b>DO</b> ,	~
19 RESERVED FOR LOCAL	USE							20. OUTSIDE	LAB?	<del></del>	\$ CH	ARGES	<u> </u>	
								TYES	□ N	o			1	- 1
21. DIAGNOSIS OR NATURE	E OF ILLNESS OF	NUUR	Y. (REL	ATE ITEMS 1	.2.3 OR 4 TO ITE	M 24E BY LIN	È) ———	22. MEDICAL	RESUBA	IISSION			.1	
, ⊥ ₹70.0				_			<b>+</b>	CODE		) O	RIGINAL	REF. NO	<b>)</b> .	į
1				3	· <del></del>	•		23. PRIOR AL	THORIZA	TION NUME	BER			
2				4	: 1			į						
24. A		В	C	L	D		E	F	Ţ	G H	T I	TJ	T	K
From DATE(S) OF SER		Place	Type		IES. SERVICES, ( In Unusual Circum		DIAGNOSIS			OR Fam	أبطف	Ī		IVED FOR
MM DD YY MM	DD **		Service		S   MODIFIE		CODE	\$ CHARG	ES	UNITS Pla		СОВ	roc	AL USE
02 04 95		3	1	99385	NO!		, (	<u> </u>		,			65	RVED FOR AL USE
				- 5	LATE		1	- XX	XX	*	+-	+	10243	2100
02.04 95		3	3	88150	)			~	-	,	1		l	_
				6	<u> </u>		1		-	4	+-	-	6543	2100
02 04 95	1 1	3	1	*W7010	1 1		1	XX	ХX	1			6542	2100
				,	<u> </u>		1	1			+	+	6543	∠100
				ŗ.	1 1		•	1	:	i			İ	
	· · · · · ·		-	<del></del>	<del></del>			<del> </del>			<del></del>	┼	<del> </del>	
:					1 1	Į.	1 5	1		ļ	1		]	1
	<del></del>						1	<del> </del>	<del> </del>			₩-	ļ	
	1 1		ļ	i i	1 ;		•	<u> </u>	;	į	ţ		1	
25. FEDERAL TAX LD. NUME	BER SSN E	EIN	26	PATIENT'S A	CCOUNT NO.	27. ACCE	PT ASSIGNMENT?	28. TOTAL CH	APCT	<u>_</u>	101117	1		
			i	234JD		(For go	PT ASSIGNMENT? vt. claims, see back)			- 1	OUNT P	: :		MCE DUE
31 SIGNATURE OF PHYSIC	IAN OR SUPPLIE	R			DORESS OF FAC		SERVICES WERE		XX X			!		XX XX
INCLUDING DEGREES O	OR CREDENTIALS		-;	RENDERED (	If other than home	or office)	. OLITICALO WENE	33. PHYSICIAL & PHONE			.ing NAM	it. ADD	MESS, ZIF	CODE
apply to this bilt and are m	ade a part thereof							I. M.	. Bil	ling				
T.M. Authorie	ed .							1 W.	W111	ians				
I.M. Authoriz	MM/ DD/	ΥY								WI 555	555	05.	<b></b>	ļ
SIGNED	DATE							PIN#			GRP#	876	54321	.

# APPENDIX 4d SAMPLE HCFA 1500 CLAIM FORM COMPREHENSIVE SCREEN

# LEAD TEST GIVEN - BILL LAB HANDLING FEE CLAIM SORT INDICATOR "P"

# RECEIVED BY THE FISCAL AGENT ON OR AFTER 2./15 /95 HEALTHCHECK NURSING AGENCY BILLER

							HEALTH IN				1 (14)			
MEDICARE	MED	CAID	CHAMPUS	3	CHAMPVA	GROUP HEALTH PLAN	FECA OTHER BLK LUNG	1a. INSURED'S I.D.	NUMBER			(FOR P	ROGRAM I	N ITEM 1
J	(Medi		(Sponsor's		(VA File #)	(SSN or ID)	(SSN) (ID)	12345678	-					
	NAME (Last N		ame. Middle	inital)	3.	PATIENT'S BIRTH D		4. INSURED'S NAM	E (Last Na	ume, Firs	t Name.	Middle	initial)	
	ent, Ir				M									
PATIENT'S	ADDRESS (N	o Street)			6.	PATIENT RELATION	SHIP TO INSURED	7. INSURED'S ADDR	RESS (No	., Street	)			
09 W1.	Llow St	t.				Set Spouse	Child Other							
ITY					STATE 8.	PATIENT STATUS		CITY					S	TATE
Inytowi	1				WI	Single Ma	med Other							
P CODE		TELEF	HONE (Indi	ude Area	Code)			ZIP CODE		TEL	EPHON	E (INCL	UDE AREA	CODE)
55555		( 🗴	XXX (XX	(–XXX	ox i	Employed Full-				- 1	(	)		
OTHER INSI	JRED'S NAM	E (Last Name	. First Name	e. Middle	inmai) 10		DITION RELATED TO:	11. INSURED'S POL	ICY GRO	UP OR F	ECA N	UMBER		
I-Y														
OTHER INSI	JRED'S POLI	CY OR GRO	UP NUMBER	R	a,	EMPLOYMENT? (CU	RRENT OR PREVIOUS)	a. INSURED'S DATE	OF BIRT	н			SEX	
						☐ YES	MO	MM .	D YY		M		SEA F	
OTHER INC	JRED'S DATE	OF BIRTH		~		AUTO ACCIDENT?	PLACE (State)	b. EMPLOYER'S NA	ME OD C	CHOO				<u>ليا</u>
MM DD			SE:	X FF	_   6.	YES	INO .	D. EMPLOTENS NA	On Si	UNUUL	ANNE			
EMDI OVED	S NAME OF		M		┵			- 410110-1105 5			00000			
EMPLUYEH	S NAME OR :	SUMUUL NA	ME		c. (	OTHER ACCIDENT?		c. INSURANCE PLA	N NAME (	JH PRO	GRAM I	VAME		
						YES	NO							
INSURANCE	PLAN NAME	OR PROGR	IAM NAME		10	d. RESERVED FOR I	OCAL USE	d. IS THERE ANOTH	IER HEAL	TH BEN	IEFIT PL	AN?		
								YES	NO				omplete iter	
PATIENTS						SIGNING THIS FORM	l. other information necessary	13. INSURED'S OR						
to process t							ho accepts assignment	payment of medic services describe		> 10 10 10 (i	undersig	Had by	ISICIEN OF SI	ribner to
below								İ						
SIGNED						DATE		SIGNED						
DATE OF C	URRENT.	ILLNESS (	First sympto	m) OR	15. IF P	ATIENT HAS HAD SA	ME OR SIMILAR ILLNESS.	16 DATES PATIENT	UNABLE	TO WO	RK IN C	URREN	IT OCCUP	ATION
MM DD	YY	INJURY (A PREGNAN	ccident) OR		GIVE	FIRST DATE MM	DD YY	FROM D	D YY	,	TO	MM	DD	YY
NAME OF F	EFERRING F			SOURCE	17a. I.D.	NUMBER OF REFE	RRING PHYSICIAN	18. HOSPITALIZATIO					NT SERVI	CES
	-							MM D			מל כבי	MM	DD	
RESERVE	FOR LOCAL	USF						20. OUTSIDE LAB?	<del></del>		\$ CHA			
	. UI LOUAL							I	ا مید		. UNA	-1053	1	
DIACATOCIC	OR NATUR	05 11 1 11 150	C OD IN HIP	v /or-	ATE ITEMS 4.00	OD 4 TO 1774 2:5	DV ( INE)	<u> </u>	NO PARECTO				<u> </u>	
_		OF ILLNES	o on injuh	ır. (MEL	A16 HEMS 1,2,3	OR 4 TO ITEM 24E	DI LINE)	22. MEDICAID RESU	JBMISSIO I	<sup>77</sup> ОЯК	SINAL R	EF. NO		
<u>. ₹70</u>	<u>0</u>				3. L		•							
								23. PRIOR AUTHOR	IZATION	NUMBE	R			
<u> </u>					4. ∟			1						
Α	T.C. OF OF		B	C	PROCEDURES.	D CERVICES OF SU	E	F	G	H	1	J	<u> </u>	
	E(S) OF SER		Place of	Type	(Explain U	SERVICES, OR SUF nusual Circumstances		\$ CHARGES	OR	EPSD1 Family	EMG	СОВ		/ED FOR L USE
M DD	YY MM	DD	YY Service	Service	CPT/HCPCS	MODIFIER	COLOR P	13.33.023	UNITS	Plan				
4 01	95	1	3	1	99382	HC	1	XXXX	1					
								1	Ţ		1			
01	95	4	3	5	99000	1	1	XX XX	1					
		•				1	<del>- H</del>	<del>                                     </del>	+	+	<del>                                     </del>	1	<b></b>	
			1		r	1 [		1 !			}		ŀ	
						<del>i</del>	- <u>*</u>	<del>                                     </del>	+	┼		-		
	1				3	i !		1			1	1		
				<del>  - 1</del>	1, 3.	1			<u> </u>	<b></b>	ļ			
					<b>.</b> .	1 1	<u> </u>	I						
		<del></del>				1	<u>[</u> ]	1		<u> </u>				
								1						
	1	<u> </u>			Ľ	1		<b>[</b>						
FEDERAL T	AX LD. NUM	BER S	SN EIN	26.	PATIENT'S ACC	DUNT NO. 27.	ACCEPT ASSIGNMENT? For govt. claims, see back)	28. TOTAL CHARGE	1:	29. AMO	UNT PA	<b>U</b> D	30. BALA	NCE DUE
				ļ	1234JD	اح	YES NO	s XXX	XX	\$		1	i	XX X
SIGNATURE	OF PHYSIC	IAN OR SUP	PLIER	32.1	NAME AND ADDI	RESS OF FACILITY	WHERE SERVICES WERE	33. PHYSICIAN'S, SI			IG NAM	E ADD	1	
INCLUDING	DEGREES C	OR CREDEN	TIALS			her than home or offic		& PHONE #				<i>-</i>		
apply to this	the statement bill and are m	ade a part th	ereof.)	i				I. M. B						
M A.	thori	zed	•	į				1 W. W1	llia	ms				
erte M	· CILD F T	MM/	DD/YY	İ				Anytown	. WT	55.5	55			
			ATE	i				PINE	,		1	R769	7.221	

PLEASE PRINT OR TYPE

# APPENDIX 4e SAMPLE HCFA 1500 CLAIM FORM INTERPERIODIC SCREEN WITH IMMUNIZATION CLAIM SORT INDICATOR "P" RECEIVED BY THE FISCAL AGENT ON OR AFTER 2/15/95 HEALTHCHECK NURSING AGENCY BILLER

									ы	EALTH IN	ICI ID A	NCE (	~! A !&	I EO	DM			
MEDICARE	MEDICAID	CHA	MPUS		CHAMPV	'A	GROUP		FEC		R 1a. INSU					(FOR P	ROGRAI	A IN ITEM 1)
(Medicare #)		_	nsor's S	SN)	(VA File		HEALTH	PLAN (	BLK (St	LUNG	1	34567				,, 0,,,,	. 100,00	
PATIENT'S NAME	<u> </u>			_		13 P4	TIENTS	BIRTH DAT				ED'S NAM		ame. Fin	st Name	. Middle	Indiai)	
ecipient.						M	M DD	YY	мГ	SEX F X			,				·	
PATIENT'S ADDRE								LATIONSH			7. INSUF	ED'S ADD	RESS (No	Street	)			
09 Willow	St.					Se	ar ⊟ Sc	ouse	Child	Other								
TY					STATE	8. PA	TIENT ST				CITY		*					STATE
nytown					WI		Single	Mame		Other								
CODE	TEL	EPHON	E (Inclu	ое Алеа		-			~	) Ola. [_	ZIP COD	=		TEI	EPHON	IE (INCL	UDF AR	EA CODE)
5555	1.	XXX)	`	X-XX		En	npioyed	Full-Tim		Part-Time	]	-			1	)		
OTHER INSURED'S	1 \	,				10 (	SPATIEN	Student CS CONDI		Student	11 INS!	RED'S PO	ICY GBC	I IP OP	FECA N	IMBER		
I-Y	5 . W. W. C. (C. C.)						- · · · · · · · ·				111.111.00	120010	LIC I GIIC	, O.	LONI	OMOL!!		
THER INSURED:	POLICY OR G	BOLIP N	MARER			FL	API OVMEI	NT2 (CLIBE	RENT	OR PREVIOUS)	2 INCLIE	ED'S DAT	E OF BIRT	гш				
, men mooned	or other on a	1001 14	OMBE	•		-				NO	4. 116307	MM	DD YY			1	SEX	F
OTHER INSURED:	DATE OF BIDT	nu nu		,		٦, ۲	TO ACCIE	YES YENT?	L	PLACE (State	) EAST	YER'S NA	ME OD O	cuca		· <u>L</u>		
IM DD : YY	ONIE OF BIRI		SEX	, L	7	J. AL		_	_	,	D. EMPL	TEN S NA	ME OH S	CHOOL	NAME			
MPLOYER'S NAM	E OB COLOC	M		r		١	L	YES	Ш	NO		ANCE St.	A1 A16445	00.55	00000			
MPLUTER S NAM	E OH SCHOOL	NAME				J C. 01	HER ACC	_	_	l NO	C. INSUR	ANCE PLA	IN NAME	UH PRC	GHAM I	NAME		
UCUDANICE C	NAME 65 55 -	001111			<u> </u>	1		YES	<u> </u>	INO	1							
NSURANCE PLAN	NAME OR PRO	GHAM N	WANE			106.	neserve	D FOR LO	uri U	SE .		RE ANOT	_		-			
_												ÆS _	_ NO					tem 9 a-d.
PATIENT'S OR AL	READ BACI								er info	mation necessary		RED'S OR						supplier for
to process this class below												es describ					,	
Delow																		
SIGNED							DATE				SIG	NED						·
DATE OF CURRE	NT ILLNES			n) OR	15			HAD SAM		SIMILAR ILLNES	6. DATE	S PATIEN	UNABLE	TO WO	ORK IN C	URRE	VT OCCL	PATION
	PREGN	IANCY(L	MP)			0.72				1	FRO	MM [			TC	· · · · · ·		
NAME OF REFER	RING PHYSICIA	N OR O	THER S	OURCE	17	a. I.D. N	UMBER O	FREFERA	ING P	HYSICIAN	18. HOSI	MM . C	ON DATE	SRELA	TED TO	CURRE	NT SER	VICES
											FROI	,			TC	· · · · · ·		
RESERVED FOR	OCAL USE										20. OUT	IDE LAB?			\$ CHA	ARGES		
												res [	NO				1	
DIAGNOSIS OR N	ATURE OF ILLN	ESS OF	RUUR	Y. (REL)	TE ITEMS	1.2.30	R 4 TO ITI	EM 24E BY	LINE)		22. MED	CAID RES	UBMISSIO	N Cei	GINAL F	REF. NO	,	
, <b>770 0</b>						з. L				*	~~~				on was r	140	•	
						3					23. PRIO	AUTHO	RIZATION	NUMBE	R			
ı						4. I		•			i i							
A .			В	С			D			Ε		F	G	Н	į i	J		К
DATE(S) C	F SERVICE To		Place	Type			ERVICES.	OR SUPPI	LES	DIAGNOSIS	1		DAYS	EPSD Family				RVED FOR
M DD YY	MM DD			Service	CPT/HCF		MODIF			CODE	\$ 02	ARGES	UNITS	Plan	EMG	СОВ	ro	CAL USE
01 95	1 :	1	3	1	W70:	12	1			1	H.	x_xx	,	t	1	1		
	† · · · ·	<del>' '</del>			H/U.			<del></del>	- 3		<del>                                     </del>	^-44	++	+	1	1	<del>                                     </del>	
: 01 - 95		:	3	1	907	no	1		3	4	1					1		
01 95	· · ·	•	٠		~ <del>70/</del> .	<b>=</b> 0	1		-		7	X XX	++-	1-	$\vdash$	+	<del> </del>	
1 1	'				<b>1</b>		1				Ħ	ļ						
<del></del> '	+				-		<u> </u>				9	<del>-                                    </del>	+	+-	<del> </del>	<del> </del>	<del>                                     </del>	
		:		1	H .		1		r		1	į			]			
	<del>}</del>						<u> </u>		<del>- 12</del>		<del>  </del>			+			ļ.——	
1	1 :					1	. !				H	1			1	1	1	
<del></del>	<del>                                     </del>								#		7				<del> </del>	-	1-	
. !	1	: 1			•		•				Ħ	1		1				
EFDEDAL TAVES	AU MADED		<u> </u>	ليبا	E ATICOTE	1000	- L	167.55	B	ACCIONIATE	1			1	<u> </u>	1	ļ	
FEDERAL TAX LD	. NUMBER	SSN		1	PATIENTS		MINO.	(Fo	r govl	ASSIGNMENT?	) [	L CHARGE		29. AM(	OUNT PA	AID	30. BA	LANCE DUE
					1234J				YES	NO NO	\$	XX		\$		1	\$	XX XX
SIGNATURE OF P					IAME AND				ERE S	SERVICES WERE	1 I PH	ICIAN'S, S			NG NAM	AE, ADD	RESS, Z	IP CODE
(I certify that the sta	stements on the	reverse		'		, ,					i.	M. E	1111	ng				
apply to this bill and M. Author		r, wiereof	1.}								1	W. WY	llia	ms				
		I/DD	hara								l An	vtown	, WI	555	55			
																	5432	

# **APPENDIX 4f**

# SAMPLE HCFA 1500 CLAIM FORM

# ENVIRONMENTAL LEAD INVESTIGATION AND INTERPERIODIC SCREEN PRIOR AUTHORIZATION PREVIOUSLY APPROVED CLAIM SORT INDICATOR "P"

RECEIVED BY THE FISCAL AGENT ON OR AFTER 2/15/95 HEALTHCHECK NURSING AGENCY BILLER

						HEALTH IN				PRM		
1. MEDICARE	MEDICAID CH	HAMPUS	;	CHAMPVA		ECA OTH	R 1a. INSURED'S	.D. NUMBE	R		(FOR I	PROGRAM IN ITEM 1)
(Medicare #)		onsor's		(VA File #)	(SSN or ID)	(SSN) (ID)	123456	7890				
2. PATIENT'S NAME (L		. Middle	Indal)	3	PATIENT'S BIRTH DATE	SEX	4. INSURED'S N	AME (Last I	Name, Fir	st Name	. Middle	intal)
Recipient,	Im A			i		ν 😿 F 🗀	1					
5. PATIENT'S ADDRES	SS (No., Street)				PATIENT RELATIONSHIP	1.65	7. INSURED'S A	DDBESS (A	lo Strant	•)		
609 Willow							The state of the	DUNESS (N	io., Street	1)		
	DL.				Self Spouse Ch	ild Other						
CITY				STATE 8	PATIENT STATUS		CITY					STATE
Anytown				WI	Single Marned	Other						1
ZIP CODE	TELEPHO	NE (Inci	ude Area	Code)			ZIP CODE		TE	I EPHO	NE (INC	LUDE AREA CODE)
55555	(XXX	) XXX		74	Employed Full-Time	Part-Time			'	1	1	cook milen oode,
9. OTHER INSURED'S	1.	<u>/</u>			Student	Student				1		
S. OTHER INSUREDS	NAME (Last name, FI	rst Name	e. MIOCIE	rindali 1	O. IS PATIENT'S CONDITION	ON RELATED TO:	11. INSURED'S I	POLICY GR	OUP OR	FECA N	NUMBER	4
a. OTHER INSURED'S	POLICY OR GROUP	NUMBE	R	a	EMPLOYMENT? (CURREN	NT OR PREVIOUS)	a. INSURED'S D.	ATE OF BIF	TH			SEX
					YES	∏NO	MM	DD Y			a 🗀	SEA F
OTHER INSURED'S	DATE OF BIRTH				AUTO ACCIDENT?	PLACE (State			2011		<u>"   _   </u>	
MM DD YY	_	SE.		b.			b. EMPLOYER'S	NAME OR	SCHOOL	NAME		
	M	1	F		YES	NO						
EMPLOYER'S NAME	OR SCHOOL NAME			c.	OTHER ACCIDENT?		c. INSURANCE F	LAN NAME	OR PRO	GRAM	NAME	
				1	YES	NO						
I INSURANCE PLAN N	IAME OR PROGRAM	NAME		<del></del>	DI. RESERVED FOR LOCAL	LICE	A ICTUEDE AND	TIEDUE				
				"			d. IS THERE AND		₩.IH BEI	nerii P	LAN?	
<del></del>							YES	NO NO				complete item 9 a-d
2 PATIENTS OR ALI	READ BACK OF F	ORM BE	FORE (	COMPLETING &	SIGNING THIS FORM. Pase of any medical or other is	-4						TURE I authorize
to process this claim	. I also request paymer	nt of gove	emment:	autriorize the res benefits either to i	muse or any medical or other in myself or to the party who acc	mormation necessary capts assumment	payment of m services desc			undersi	gned ph	ysician or supplier for
below.		•					ear vices desc	NOOU DENOW				
SIGNED					DATE		SIGNED_					
DATE OF CURRENT	T. A ILLNESS (First	sympton	m) OA	15. IF P	ATIENT HAS HAD SAME C	R SIMILAR ILLNES		NT UNABL	E TO WO	ORK IN	CURRE	NT OCCUPATION
WWW. DD 11	INJURY (Accid			GIV	E FIRST DATE MM   D	NO 1 YY	FROM MM	DD · Y	Y	TO	MM C	DD : YY
7. NAME OF REFERR	ING PHYSICIAN OR	THER S	SOURCE	17a, I.D	NUMBER OF REFERRING	3 PHYSICIAN	18. HOSPITALIZA	TION DAT	ES REI A		-	ENT SERVICES
				.			į MM	DD Y	Y		MM	DD YY
				<u> </u>		····	FROM			TC	>	1 1
9 RESERVED FOR LO	OCAL USE						20. OUTSIDE LA	3?		\$ CHA	ARGES	
							YES	□ NO	1			1
1. DIAGNOSIS OR NA	TURE OF ILLNESS O	A INJUR	Y. (REL	ATE ITEMS 1.2	OR 4 TO ITEM 24E BY LIP	NE)	22. MEDICAID RI	SURMISSI	ON			<del></del>
V70 0						· ·	CODE		ORK	GINAL F	REF. NC	).
1. 470.0				3. L		Ψ			1			
							23_PRIOR AUTH	ORIZATION	NUMBE	R		
2				4 1			7654321					
L A		В	С		D	7 E	F	G	Н	Ti	1 ,	K
DATE(S) OF	SERVICE	Place	Туре		SERVICES, OR SUPPLIES		<del>                                     </del>	DAY	SEPSD		-	RESERVED FOR
MM DD YY	MM DD YY	Second	Service		Inusual Circumstances)  1 MODIFIER	CODE	\$ CHARGES	UNIT		EMG	СОВ	LOCAL USE
		V- 455	- VI	orus	, modifien	<u> </u>	3	UNIT	S FERT	+	+	<del>                                     </del>
02 02 95	<u> </u>	4	9 !	W7083		1	XX XX	x 1		1	1	1
			!			ġ.		<del>   -</del> -		<del> </del>	†	<del>                                     </del>
02 09 95		4	1	. W7017	1 ;	<b>.</b>	<u> </u>	_   _		1	1	1
		ļ <del>-</del>				1	XXX	X   1		1		<u> </u>
, 1		I		i i			ă :	- 1	1			
		1		Ε .		ė		1	1	1		
						y .			+	<del>                                     </del>	1	<del></del>
1			3	ľ	1 :	4	9			1		
		₩-			<u> </u>	<del></del>	<u> </u>					ļ
		1		ř	i i	4	4			1	1 ~	
		]	]			1		1	1			1
					1		4		+	†—	+	<del>                                     </del>
	1	1		ē	1 !	<b>:</b>	kļ ;	1	1	1	}	[
FEDERAL TANA	KHIDED DC	<u> </u>	<u> </u>	<u> </u>		1	<b>:</b>				L	
FEDERAL TAX I.D. N	NUMBER SSN	EIN	26.1	PATIENT'S ACC		PT ASSIGNMENT? wt. claims, see back)	28. TOTAL CHAR	GE	29. AMC	OUNT PA	ND	30. BALANCE DUE
			:	1234JD	YES		\$ 777	XX	\$		1	s XXX XX
SIGNATURE OF PHY			32.1	NAME AND ADD	RESS OF FACILITY WHER	E SERVICES WERF			'S Bu t n	WG NAM	E ADD	BESS TIP CODE
INCLUDING DEGRE	ES OR CREDENTIAL	s			ther than home or office)		& PHONE #				· ~UU	ness, zir <b>(CDE</b>
	ements on the reverse are made a part thereo						I. M.	B111:	ing			
	past unit at	7	i				1 W.					
.M. Author	ized	/	1									
CHED	MM/DD/	YY	ļ				Anyto	WIL, W.			274	554321
GNED	DATE						PIN#		- 1	GRP#	0/(	JJ43ZI

# APPENDIX 4g ELECTRONIC MEDIA CLAIMS SAMPLE SCREEN

HCFA 1500 (CT 20, 21, 22, 24, 30)

* * * *	* * * *	* * * *	* * * *	* * * *	* * 1	* * * *	* *	* * * * *	* * *	* *	* * * *
The fie	ECS Seld number 19		the ECS m form.	screen	corr	respond	with	the num	bered o	lata	<b>element</b> s
		W		S - WIS				BMISSION		DAT	E 010193
BP NBR	33	L NAM	E	2		_ F N/	AME	2	×	ID	1A
PCN	<u> 26</u>		0I <u>9</u>	TPL 1	<u>o</u> M	ISC <u>11</u>	PA N	IBR 23	LAB	<u>20</u>	
DIAG 1	21.1	2 2	FP NBR 1.2 3	21 3	<u>.                                      </u>	OP NBI	R		-		
								CHARGE			•
1	24.A	A_	<u>B</u> <u>D</u>	<u>D</u>	<u>D</u> _	<u>K</u>	_ <u>E</u>	F	<u> </u>	_ <u>_</u>	<u> </u>
4							·				
ີ											
7							- <b>-</b> .		·		
8	<del></del> -							···			
10									·		
TOT I	BILL	28 (	DI PAID _	29				.K NET	BILL _	30	
Doc #1	Page :	#1 Fi€	eld #6	Form:	MED	ICAL		0	6-01-19	992 1	0:16:34
<u>Form</u>	<u>ct</u> <u>i</u>	Descript	ion								
MEDICAL	                   	amily Pamily Pamily He aborato ree Sta Physicia lon-51.4 ase Man Communit	y Suppor Service Care Co	Clinics nics y, Radi bulator es & Opera t Progr s	iolog ry Su ated ram	rgical		ers th, AODA	, Day T	reati	ment

#### Department of Health and Social Services Division of Health

# APPENDIX 5 HEALTHCHECK PERIODICITY TABLE

HealthCheck should begin with a neonatal examination at birth whenever possible.

Recipients are limited, based on their age, to the following number of comprehensive screenings for a consecutive twelve month period:

- Birth to one year, 6 screenings
- Age one to two years, 3 screenings
- Age two to three years, 2 screenings
- Age three to twenty-one years, 1 screening/year

When medically necessary, additional visits may be billed as interperiodic visits.

1			IN	FANC	Υ				EARL	Y CHIL	DHOC	D	Т	LAT	E CHII	DHOC	DD D	Ī	ADO	LESEN	ICE
Health Nutritional & AGE 1 Developmental	By mo		4 mos.	6 mos	9 mos.	12 mos.	15 mos.	18 mos.	24 mos.	30 mos.	3 yrs.	4 yrs.	5 yrs.	6-7 yrs.	8-9 yrs.	10-11 yrs.	12-13 yrs.	14-15 yrs.			
Assessment		1		1					<u> </u>		<u> </u>		┢					<u> </u>		-	_
A. HISTORY 2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
B. DEVEL/BEHAV ASSESSMENT 3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
C.HEALTH EDUCATION/ ANTICIPATORY 4 GUIDANCE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
II. Physical Assessment		1	1-		1				<del> </del>	<u> </u>	<del>                                     </del>	-									
A. MEASUREMENTS Height and Weight	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Head Circumference	•	•	•	•	•	•	•	•	•	•											
Blood Pressure			1				1				•	•	•	•	•	•	•	•	•	•	•
B. UNCLOTHED PHYSICAL EXAMINATION	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
C.SENSORY SCREENING Vision	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Hearing 5	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•		•		
D. DENTAL 6											•	•	•	•	•	•	•	•	•	•	•
III. PROCEDURES DPT 7		•	•	•				•					•								
OPV		•	•					•					•								
MMR							•						•								
HbCV 8		•	•	•			•														
Td																		•			
Hematocrit/Hemoglobin 9					•				•	•	•	•	•	•	•	•	•	•	•	•	•
Blood Lead 10 (Verbal Assessment)						•			•		•	•	•								
Pap Smear/Pelvic HIV/Sickle Dex		-	<u> </u>																		
12 Tuberculin Test	-																				
Urinalysis 13																					

#### Key: ● = to be performed

- 1. If a child comes under care for the first time at any point on the schedule, or if any items are not accomplished at the suggested age, the schedule should be brought up to date at the earliest possible time. This is especially important for children between the ages of 2 and 3.
- Health history to include nutritional assessment.
- By history and appropriate physical examination: if suspicious, by specific objective developmental testing.
- 4. Assessment of parent/child interaction and appropriate discussion and counselling should be an integral part of each visit for care.
- Screen at birth through age 2 using both methods outlined in Appendices 14 and 14a. Children failing either screening method should be referred for audiological assessment.
- Administer puretone audiometric screening as follows: Usually to all children 3-8 years old and at 4

- year intervals thereafter up to age 16; to any child older than 8 who is receiving HealthCheck screening for the first time or has excessive noise exposure, delayed speech & language development.
- 6. For children under 3 years, question parents about problematic thumb sucking. Iip biting, caries, tongue thrusting, non-erupted teeth, extra teeth, extended use of pacifier or bottle feeding practices. All children age 3 or older must be referred to a dentist, with subsequent or earlier exams as deemed medically necessary. (For this age group, six month dental check-ups are a covered benefit.)
- 7. These may be modified, depending on entry point into schedule and individual need.
- Recommended by the Food and Drug Administration. Centers for Disease Control and American Academy of Pediatrics at two, four, and six months in addition to 15 months.
- 9. Present medical evidence suggests the need for reevaluation of the frequency and timing of hemoglobin or hematocrit tests. One determination is therefore suggested during each time period. Performance of additional tests is left to the individual practice experience.
- 10. Lead verbal assessment to be done at each visit between the ages of nine months through 5 years. Blood lead testing as per chart in Appendix 13b.
- 11. As clinically indicated.
- 12. For low risk groups, the Committee on Infectious Diseases recommends the following options: 1) no routine testing or 2) testing at three times infancy, preschool, and adolescence. For high risk groups, annual TB skin testing is recommended.
- 13. The frequency and timing of urinalysis is left to the individual practice experience.

Issued: 11/92

# APPENDIX 6 EFFECTIVE ORAL ASSESSMENT

# Birth to Age 3 - Referral to Dentist

Referral of a child in this age group to the dentist may be appropriate. If oral problems are apparent, referral should follow.

Many dentists prefer to examine the child (and counsel the parents) by one year of age (ideally at about 9 months of age). This early dental visit enables the dentist and parents to discuss ways to nurture excellent oral health before any serious problems have had an opportunity to develop.

Early referral is indicated when:

- dietary fluoride supplements are necessary
- oral hygiene appears inadequate
- dietary practices are abnormal (Baby Bottle Tooth Decay potential)
- eruption of teeth are abnormal (delayed or crowded)
- dental disease is present

# Age 3 and Above (refer all children for dental care)

Key questions for the parent of the infant or young child prior to oral assessment.

- 1. Does the child consume water with adequate levels of fluoride for prevention (birth to age 16). This is the most important question in relation to the prevention of future dental disease. If the child resides in a home with rural well water or in a community that fails to add fluoride to its water, then a referral to the dentist is necessary for a water analysis. A daily fluoride supplement may be needed to ensure adequate prevention of dental caries. A Wisconsin Community Fluoridation Census will aid in determining the fluoridation status of community water systems.
- 2. Has child been to the dentist?
- 3. Does the parent brush or assist in brushing the child's teeth?
- 4. Does the child sleep with the bottle or carry the bottle during the day?
- 5. Does the child have any dental problems, concerns or complaints?
- 6. Have any brothers or sisters had dental problems?

Wisconsin Community Fluoridation census is available from:

Bureau of Public Health Attn: Oral Health Consultant 1414 E. Washington Avenue Madison, WI 53703-3044

Oral Assessment Instruction Detail is available from:

Bureau of Health Care Financing Attn: HealthCheck Coordinator Post Office Box 309 Madison, WI 53701 DEPARTMENT OF HEALTH AND SOCIAL SERVICES

Division of Health DOH-1002 (Rev.3/91)

# APPENDIX 7

# **HEALTHCHECK INDIVIDUAL HEALTH HISTORY**

						CURI	RENT	MEDI	CALAS	SISTANCE I.D. NUMBER PER CODE
	F	īll out	t one for	m for e	ach person screened	DAT	E CO	MPLE	TED	
NAME	OF	PATI	ENT			NAM	E OF	PAR	ENTO	/ / R GUARDIAN
ADDF	ECC									
						ADD	RESS	>		
PHON	1E					PHO	NE			
BIRT	HDAT	E			SCHOOL AND GRADE OR OCCUPATION					
PHYS	ICIAN	IAN I	ME AND	ADDR						
DENT	IST N	IAME	AND A	DORES	S			·		
					GENERAL HEALTH	(AI	nswei	for A	M Ages	)
Office	Yes	No	Don't Know				·····			
1					t been more than 12 months sind					
2										this person because of illness or injury?
3				1	t been more than 12 months si					
<del>4</del> 5		-	ļ							is person because of pain of injury?
				about	? If YES, explain.	neam,	grow	in or c	ievelopr	nent that you are concerned or worried
6				Does	this person always use a seat	belt or o	arsea	at in a	n autom	nobile?
	D	ID T	IIS PER	SON E	VER HAVE OR DOES THIS	PERSC	ON NO	DW H	AVE A	NY OF THE FOLLOWING?
Office Use	Yes	No	Don't Know			Office Use	Yes	No	Don't Know	
7				<del></del>	plained fever	20	<u> </u>	<u> </u>		Vomiting or diarrhea
8			1		appetite or feeding problem	21	L			Wheezing or noisy breathing
9				Loss	of weight	22		ļ	ļ	Swollen joints
10				Loss	of consciousness, fainting	23				Heart murmur
11				Head	Injury	24				Frequent stomach aches
12				Seizu	re, convulsions, fits	25				Blood in bowel movements
13				Frequ	ent headaches	26				Bladder, kidney, or urinary problems
14				Eye t	rouble	27				Blood in urine
15				Earac	ches, draining ears	28				Rashes, eczema, hives, skin problems
16				Frequ	ent nosebleeds	29				Many bruises or bleedings
17				Chror	nic cough	30				Frequent stumbling, falling
18				Heari	ng problems	31				Frequent colds or infections
19				Cons	tipation					

# APPENDIX 7 HEALTHCHECK INDIVIDUAL HEALTH HISTORY FORM

Use	Yes	No	Don't Know	HEALTHCHECK INDIVIDUAL HEALTH HISTORY FORM (continued)
32				HAS THIS PERSON HAD ANY OF THE FOLLOWING?
				Rubella (German measies)  Measies (Red)  Mumps  Rheumatic fever
33				Did or does this person have allergies? If YES, describe.
34				Did or does this person have asthma?
35				Has this person had any serious accidents? If YES, describe.
36				Has this person had any hospitalizations, operations, major illness? If YES, describe.
37				Does this person now have any problems which you feel, or which a physician has told you, may be related to any one of the conditions 7 - 36? If YES, describe.
38				Does this person OFTEN eat things which are not usually considered to be food? (Example: dirt, paint,chips, crayons, clay, starch, newspaper.) If YES, describe.
39				Does this person have problems with toileting or toilet training?
40				Does this person get along with family members and playmates?
41				Does this person have difficulty learning?
42				Does this person get into trouble in school or dislike school?
43				Has this person taken prescription medicines in the last 12 months? For what?
4-				Has this person taken non-prescription medicines in the last 12 months? (Example: aspirin, antihistimines, vitamins, food supplements.) What?
<del>4</del> 5				Has this person ever had a positive reaction to a tuberculosis test?
46				Referred for Adolescent Review
47				ANSWER FOR FEMALES BORN BEFORE 1972: Did the mother of this person take any medications to prevent miscarriage during this pregnancy?

# IMMUNIZATION HISTORY: Please give the date this person received each of the following:

Type[Recommended Doses]	None	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5
DTP (Diptheria, tetanus, and whooping cough) [5 doses by school entrance]						
Td (Tetanus) [every 10 years after school entrance]						
Polio Oral (by mouth) [4 doses by school entrance]						
Measles, Mumps, Rubella [2 doses by school entrance]						
Hemophilus Influenza, type b [at 2, 4, 6 and 15 months]						

# APPENDIX 7 HEALTHCHECK INDIVIDUAL HEALTH HISTORY FORM (continued)

# BEHAVIORAL/EMOTIONAL HEALTH

OFFICE USE	YES	NO	DON'T KNOW	
47				Does this person have a history of either:  behavioral or emotional problems OR  treatment for behavioral or emotional problems at a  clinic or hospital? If YES for any, explain.
48				Has anyone in this person's family ever been treated or hospitalized for emotional problems such as: depression, anxiety, mood swings, suicide attempts, or alcohol or drug abuse? If YES for any, explain.
49				Has this person ever abused alcohol and/or drugs? If YES, explain.
50	() fe () ha () pl () ha () ha	ad unexpla anned or a ad peculiar ad trouble	n ever: s or depressed ined crying suffermed surface or bizarre the eating or siem too little]	spells () felt like hurting him/her self icide () displayed reckless or dangerous behavior houghts () heard things no one else around them heard
51	( ) po ( ) di	oor grades fficulty in m		
52	( ) wi to ( ) lyi ( ) ar	thdrawing be around ng or steal	socially (doe d other peop ling ghting with p	person ( ) running away from home

## Criteria For Referral For Further Assessment:

47. and 49. Refer for a psychiatric assessment if there is a positive response.

48. Refer only if referred criteria are met for any other question.

50. Refer for a psychiatric assessment if any responses are checked.

51. and 52. Refer for a psychiatric assessment if two or more responses are checked.

# APPENDIX 7 HEALTHCHECK INDIVIDUAL HEALTH HISTORY FORM (continued)

# **PREGNANCY & DEVELOPMENT**

(Answer for all Ages)

MOTHED	st 2nd	3rd	4th	5th	6th	7th	8th	9th	10th or over
WOTHER	S AGE AT TH	IIS BIRTH	Circle	one.	Under 17	17	- 39	40 and over	Unknown
FATHER'S	AGE AT THE	S BIRTH	Circle	one.	Under 17	17	. 39	40 and over	Unknown
53	Yes		Oon't Know	OTHER'S	PREGNANC	Y HISTOR	RY (A	Answer only for	children UNDER 6 YEARS
			W	as there	any bleeding	during t	his pre	gnancy?	
			W	as the ba	by born earl	y? If so,	how m	any weeks?	
			ge	rman me	other difficult asles, high to b) If YES, do	plood pre	ss dur ssure,	ing this pregna high blood sug	ncy? (Examples: rubella or gar, sexually transmitted
			We	ere any X	(-rays taken	during p	egnan	cy?	
			qu	ilizers, ar	ntibiotics, se	datives, r	nedicii	ken during prenes for vomiting (ES, describe.	egnancy? (Examples: tran- g, medicines - shot or oral -
			. Vita	ere any n amins, iro	on-prescript on suppleme	ion medi nts, freq	cations uent as	s taken during p spirin, etc.) If Y	oregnancy? (Examples: ES, describe.
			Wa	as there a	anything unu	sual abo	ut the	labor or deliver	y? If YES, describe.
54			DE	VELOPM	ENTAL MILE	STONES	(An:	swer only for cl	hildren UNDER 6 YEARS)
	thweight appropriate til	lbs me this child		of the follo	Length			inches	
Not ye	one month onths	Roll over:  Not y Befor 2 - 5 ; After	e 2 months months		to voice: _ Not yet _ Before 3 mo _ 3 - 8 months _ After 8 month	<b>i</b>		one Not yet Before 5 months 5 - 9 months After 9 months	Act shy with strangers  Not yet Before 5 months 5 - 10 months After 10 months
1 - 4 m After 4									
After 4		Speak sing	ile word:	Spea	ık simple ser	itences:	Eat fir	iger food alone:	: Use cup aione:
After 4		Speak sing			<b>ik simple ser</b> Not yet	itences:		lot yet	: Use cup alone: Not yet
Malk alone:  Not yet	t 11 months	Not yo	et e 9 months		Not yet Before 20 m	onths	{	lot yet efore 2 years	Not yet Before 2 years
Walk alone:  Not yet Before 11 - 15	t 11 months	Not ye	et e 9 months months		Not yet	onths 2 years	{	lot yet	Not yet

# APPENDIX 8a AGE-SPECIFIC HEALTHCHECK FOOD RECORDS

DEPARTMEN Division of Health DOH 1066 (3/94)	h	& SOCIAL SERVICES Comp	STATE OF WISCONS letion of this form is volunt
DON 1000 (3/94)	•	INFANT'S FOOD RECORD (0-12 months of age)	1-800-722-22
Name		Date	
Directions: morning fe	Write down eding yeste	everything baby ate or drank in the last 24 hours (meals and snacks). rday to the first morning feeding today.	Start with the firs
Example: 3:00 am 7:00 am 9:00 am	home home sitter	breastfed breastfed 3 ounces SMA with Iron, concentrate (made with 1 can concentrate a	nd 1 can water)
TIME	PLACE	AMOUNT AND FOOD/BEVERAGE EATEN	
. Is this th	e way your	Office Use Only: oz tormula: #BF: Brd: Veg: baby eats most of the time? No Yes If no, why not?	Frt: Meat:
. What is f	ed to baby	in a bottle? breast milk formula juices water tea other:	
. Check ai	ny problems chokes and	s baby has during feedings: gags is a fussy eater other:	_
. Where d	oes baby's	drinking water come from? well city water bottled water	don't know
If bat	by goes to s	y go to a babysitter or day care? days a week never itter or day care, are meals/food provided? No Yes of money for baby's food or formula, what do you do?	

# DEPARTMENT OF HEALTH & SOCIAL SERVICES

Division of Health DOH 1066A (3/94) STATE OF WISCONSIN Completion of this form is voluntary 1-800-722-2295

# CHILD'S FOOD RECORD (1-12 years of age)

Name		Date	
Directions: first mornin	Write down eveng feeding yeste	verything the child <u>ate</u> or <u>drank</u> in the last 24 hours (meals and snacks). Start with t	he
Example:	8:30 am	home sandwich - 2 slices whole wheat bread, 2 slices cheddar cheese, and 1 tablespoon butter 1 cup tomato soup made with 2% milk	
TIME	PLACE	AMOUNT AND FOOD/BEVERAGE EATEN	
		Office Use Only: Brd: Veg: Frt. Milk: Mea	t:
1. Is this th	e way this child	Id eats most of the time? No Yes If no, why?	
2. What foo	ods does this ch	child refuse to eat?	
		nild eat away from home? 1 to 2 times a week week almost every day Where are these meals eaten?	
I. Are mea	lltimes with this	s child usually pleasant? No Yes If no, why?	
5. How ma	ny times in the	e last month did the child have problems getting enough food?	_

DEPARTMENT OF HEALTH & SOCIAL SERVICES

STATE OF WISCONSIN

	Vision of Health DH 1066B (3/94		1-800-722-2: Completion of this form is volun ADOLESCENT'S FOOD RECORD (13-20 years of age)
N	ame		Date
<u>D</u>	irections: nd snacks	Write down ). Start wit	everything you had to eat or drink, and how much, in the last 24 hours (meals h the first time you ate yesterday, to the first time you ate today.
E:	xample:	10:30 ho	ome donut, 4 oz apple juice
		noon ho	sandwich - 2 slices whole wheat bread, 2 slices cheddar cheese, 1 tablespoon butter 1 cup (8 ounces) tomato soup made with 2% milk
L	TIME	PLACE	AMOUNT AND FOOD/BEVERAGE EATEN
	İ		
<u> </u>		1	Office Use Only: Bread: Veg: Frt: Milk: Meat:
1.	Is this th	e way you	eat most of the time? No Yes If no, why?
			refuse to eat?
3.	How ofte	en do you e	at away from home? 1 to 2 times a week 2 to 4 times a week
	alı	most every	day Where are these meals eaten?
4.			ollowing diet restrictions, or trying to control your weight? No Yes
5.	How mai	ny times in	the last month did you have problems getting enough food?

APPENDIX 8b

# THE MODIFIED BASIC FOUR FOOD GROUPS

FOOD NEEDS FOR CHILDREN	-	SUGGE	STED SER	VING SIZES	<b>.</b>
FOOD	NUMBER OF DAILY SERVINGS	1-3 YRS	. 4-6 YRS	. 7-14 YRS.	TEENS &
Milk or Milk Products	3 or more servings				
Whole*, low or nonfat milk as a beverage or in food preparation, yogurt		2/3 c.	3/4 c.	1 c.	1 c.
<ul><li>Cheese</li><li>Recommended for children under</li><li>2 years of age</li></ul>		1 oz	1 oz	1 oz	1 oz
Fruits and Vegetables	4 or more servings	4-6 tbs	1/4-1/2 c	1/2 c.	1/2 c.
<ul> <li>Vitamin C: citrus fruit or juice, tomatoes, broccoli, green pepper, berries</li> </ul>	At least 1 serving				1 c. raw
<ul> <li>Dark greens: Dark leafy lettuce, greens, garden cress, watercress, bok choy, Brussel sprouts, cabbage, spinach, kale, swiss chard</li> </ul>	At least 1 serving				
<ul> <li>Other fruits and vegetables</li> </ul>	2 servings				
Protein Foods	4 or more servings				
— Animal:  Meat, fish, poultry  Egg — Plant:	2 or more servings	1/2-1 oz 1	1-2 oz 1	2-3 oz 1	3 oz 2
Dried peas, beans, lentils Soybean curd (tofu) Peanut butter Textured soy protein Nuts or seeds	2 or more servings	2-4 tbs 2 tbs 1 tbs 1 tbs* 1 tbs*	1/4-1/2 c. 2-4 tbs 1-2 tbs 1-2 tbs 1-2 tbs	1/2-3/4 c. 1/4 c. 2 tbs 2 tbs 2 tbs	3/4 c. 1/4 c. 2 tbs 2 tbs 2 tbs
Whole Grain Bread & Cereals	4 or more servings				
<ul> <li>Breads (made with whole wheat, rye, oats, commeal, etc.), cooked whole grain</li> </ul>		1/2-1 slice	1 slice	1 slice	1 slice
Cooked whole grain cereals:     oatmeal, wheat, buckwheat, rice, cereals with wheat germ; brown rice or whole grain pasta products		4-6 tbs	1/4-1/2 c.	3/4 c.	1/2 c.
<ul> <li>Dry whole grain cereals: shredded wheat, rice, oats, wheat or bran flake</li> </ul>		1/2 oz	1/2-1 oz	1 oz	1 oz
— Wheat germ or bran		1 tsp	2 tsp	1 tbs	1 tbs
Fats and Oils	1-2 servings				
<ul> <li>Oils, shortenings, salad dressings, cream, sour cream, butter, bacon, fortified margarine, cream cheese</li> </ul>		1 tsp	2 tsp	1 tbs	1 tbs

Creamy only

Additional food needs for pregnant and breastfeeding women include 4 or more adult servings of milk or milk products.

<sup>&</sup>quot; Use only finely ground or chopped to avoid choking

# APPENDIX 8c

# DAILY FOOD SUGGESTIONS FOR INFANTS

These suggestions are guidelines. They are daily totals not individual meal portions. Introduction of cereals should occur when the infant is developmentally ready. In addition, babies differ in food preferences and in quantities consumed.

AGE OF INFANT	BREAST MILK OR	DITENDO AND CENERE		FRUITS AND \	/EGETABLES	MEAT,POULTRY,	YOGURT, COTTAGE CHEESE, ICE CREAM, PUDDING, EGG YOLK	
	IRON-FORTIFIED INFANT FORMULA	INF. CEREAL (DRY)'	BREAD, RICE, PASTAS	FRUITS/ INFANT VEGETABLES JUICE <sup>2</sup>		FISH, LEGUMES		
BIRTH- MONTH 5	ONLY							
MONTH 6	30 - 50 oz	3 - 5 tbsp	1/2 slice toast (for teething) <sup>3</sup>		2 - 6 oz			
MONTH 7	30 - 32 oz	3 - 5 tbsp	1/2 slice toast (for teething) <sup>3</sup>	2 - 5 lbsp	2 - 6 oz			
MONTH 8	29 - 31 oz	5 - 9 tbsp	1/2 slice toast (for teething) <sup>3</sup>	1/2 - 1 c or 1 - 2 jars fruits & vegetables	2 - 6 oz			
монтн 9	26 - 31 oz	6 - 12 tbsp	1 slice toast	1/2 - 1 c fruits & vegetables	2 - 6 oz	1 tbsp		
MONTH 10	24 - 32 oz	1/2 - 3/4 c	1 slice or 1/2 - 3/4 c. cooked grain	3/4 - 1 1/4 c	2 - 6 oz	1 - 2 tbsp	1 - 2 tbsp	
MONTH 11	24 - 32 oz	1/2 - 3/4 c	1 slice or 1/2 - 3/4 c. cooked grain	3/4 - 1 1/4 c	2 - 6 oz	1 - 2 tbsp	1 - 2 lbsp	
MONTH 12	24 - 32 oz	1/2 - 3/4 c	1 slice or 1/2 - 3/4 c. cooked grain	3/4 - 1 1/4 c	2 - 6 oz	1 - 2 tbsp	1 - 2 tbsp	

Iron-fortified infant cereals are recommended as the first solids introduced. Rice cereal is commonly introduced first because of its low allergic potential. Cereals may be mixed with breast milk or formula to help the infant adjust to the new texture and taste.

<sup>&</sup>lt;sup>2</sup> Juice can be given when the baby can drink from a cup; juice should not be given by bottle.

<sup>&</sup>lt;sup>3</sup> If allergies run in the family, do not give your baby wheat products until approximately 8 months of age.

#### APPENDIX 9

Department of Health & Social Services Division of Health DOH-1062 (10/90)

# **HEALTHCHECK ADOLESCENT REVIEW**

To be handed to adolescents 12 and over at the screening clinic.

Sometimes it is easier to talk about things this way. If you wish, circle YES or NO for each question and give this paper to the nurse... It will be returned to you. 1. Do you think something is wrong with your general health? YES NO 2. Do you feel you have to exercise more than 1 hr every day or else you feel bad about yourself? YES NO 3. Are you often upset? YES NO 4. Do you think something is wrong with your body development? YES NO 5. Do you think something is wrong with your weight and have you tried to lose or gain weight? How? YES NO 6. Is something slowing your progress in school? YES NO 7. Is something slowing your progress at work? YES NO 8. Are you having difficulties at home? YES NO 9. Do you have difficulty making friends when you are out? YES NO 10. Do you think something is wrong with your sex feelings? YES NO 11. Do you think something is wrong with your heart? YES NO 12. Do you think something is wrong with your skin? YES NO 13. Do you think something is wrong with your eyes? YES NO 14. Do you cough much or have breathing trouble? YES NO 15. Are you concerned about your stomach or bowels? YES NO 16. Do you think you have cancer? Where? YES NO 17. Does it "burn when you urinate?" YES NO 18. Do you have muscle or joint pain? YES NO 19. Do you have questions about drinking or use of drugs? YES NO 20. Do you have questions about pregnancy or birth control? YES NO 21. Do you have questions about discharge from your sex organs or sexually transmitted diseases? YES NO 22. Do you have questions about masturbation? YES NO 23. If you have questions or concerns about any of the following, we will be able to give you places and/or names to contact for further answers: Dating, Going Steady School Problems Birth Control Pregnancy 6 Drugs Abortion Sexually Transmitted Weight Control Diseases **MALES ONLY** 24. Do you have concerns about "wet dreams?" YES NO 25. Do you have concerns about size of your sex organ? YES NO **FEMALES ONLY** 26. Have you started your periods? When YES NO When was your last period? 27. How often do you get them? 28. Do you have problems with your periods? YES NO 29. Do you take any medicine for them? YES NO 30. Have you ever had problems with a discharge, bleeding or anything else between your periods? YES NO 31. Please answer the following if you think you are pregnant: Do you live in a house built before 1950 where there is paint peeling? YES NO Do you have a hobby that includes lead bullets, lead weights for fishing or lead glass? YES NO Do you eat non-food items such as clay dirt, azarcon, Pay-loo-ah or Greta? YES NO

Issued: 11/92

## **APPENDIX 10**

DEPARTMENT OF HEALTH & SOCIAL SERVICES Division of Health DOH-1063 (11/91)

# **HEALTHCHECK FAMILY HISTORY**

NAME OF RECIPIENT					F		_Y ME 'List n					•
PRESENT OR PAST ILLNESS  For each person, check those which apply.  Use NOTES section for additional information.	/4	W (not)	(leg lag)	No.								San of the Control of
YEAR OF BIRTH				ļ								
AUTISM				ļ			<u> </u>					
ALCOHOLISM (Drinking Problem)			ļ			ļ					<u> </u>	
ALLERGIES OR ASTHMA												
BEHAVIORAL DIFFICULTIES								ļ				
BIRTH DEFECTS			ļ	ļ	ļ							
CANCER		<u> </u>	ļ	ļ		ļ	1			ļ		
DIABETES			-	ļ						-		
EPILEPSY		ļ		ļ	-		-			-		
HEARING DISABILITIES		-		ļ								
HEART ATTACK UNDER AGE 40		ļ				ļ	ļ					
HIGH BLOOD CHOLESTEROL		ļ	-	ļ			ļ					
HIGH BLOOD PRESSURE		ļ					<u> </u>			ļ		
LEARNING DIFFICULTIES					-			<u> </u>	ļ <u>-</u>			
MENTAL ILLNESS		ļ	-	ļ	<u> </u>		ļ	ļ				
MENTAL RETARDATION			-		<u> </u>			ļ				
NEED FOR SPECIAL EDUCATION		ļ					ļ	<u> </u>				
SPEECH & LANGUAGE PROBLEMS				-			ļ					
VISION DIFFICULTIES		ļ	-				ļ					
DECEASED AGE									<u> </u>			
CAUSE										·		

NOTES: (Other Illnesses, Disabilities Or Conditions That Run In Your Family That You Are Concerned About)

# APPENDIX 11 HEALTHCHECK REFERRAL FORM

DATE OF SCI	REENING:	
RECIPIENT N	IAME:	MA-ID #
DATE OF REF	ERRAL APPOINTMENT:	
REASONFOR	REFERRAL:	
	0:	
	Duoridan Nama Addana and La C	
COMMENTS	Provider Name, Address and/or Specialty	
COMMENTS:		
SIGNATURE:		DATE:
Scre	eening Provider	

# APPENDIX 11A **HEALTHCHECK VERIFICATION CARD**

**HEALTHCHECK CARD** 

Ima Recipient received This verifies that

a comprehensive HealthCheck screening on

Your child should receive needed medical or dental follow-up services recommended by your HealthCheck provider. To get followup services, like dental sealants, you will need to show this card to the service provider. Take it with you to your child's medical and dental appointments.

This card is good for one year.

DOH 1112 (2/93)

# PREVENTION PAYS.

Comprehensive Screenings include:

- Health and Developmental Check
- Physical Exam
- **Vision Test**

**FRONT** 

- **Hearing Test**
- Oral Assessment
- Needed Shots/Immunizations
- Lab Tests

BACK

WMAP Provider Handbook, Part D, Division I Issued: 05/91

## **APPENDIX 12a**

partment of Health & Social Service Division of Health DOH 4024 (Rev 3/86)

State of Wisconsin

# **WIC MEDICAL REFERRAL FORM**

		FOR				
	Infant (to	1 yr.)	Child	(1-5 yrs)		
PATIENT'S NAME			PARENT/	CARETAKER'S NAME		
ADDRESS				*****		
PHONE	BIRTHDATE		AGE _	SEX:	MALE	FEMALE
The following information is re	equired for referral to t	he WIC Program	:			
				Infants Only:		
Present wt:	Hct:	<del></del>	% and/or	Birthweight:	ibs	OZ.
Present lgth/ht:	Hgb:		gm	Birthlength:	in	8ths.
Date taken:	Date	taken:		Gestational age:		wks.
Vitamin/Mineral Rx:			Formula/Milk	Rx:		
number	ns of colds in last 6 month of otitis media in last 6 of throat infections in l	months ast 6 months		Diabetes, CP, CF Severe dental prol Clinical signs of nu	utrient deficiency:	
				· · · · · · · · · · · · · · · · · · ·	· <u>·</u> ······	<del></del>
Physician or Health Professior	aal's Name				ne:	

Final eligibility is based on a combination of nutritional, financial and medical criteria which will be determined by the local WIC Project.

This is an Equal Opportunity Program. If you believe you have been discriminated against because of age, race, color, handicap, sex, creed, national origin, ancestry, sexual orientation, arrest or conviction record, marital status, or religion, write immediately to your local WIC project. If you are not satisfied or if you do not get a response in approximately 30 days, write to DHSS, Affirmative Action/Civil Rights Compliance Office, P.O. Box 7850, Madison, WI 53707.

LOCAL WIC PROJECT:

WMAP Provider Handbook, Part D, Division I Issued: 05/91

#### **APPENDIX 12b**

# WIC MEDICAL REFERRAL FORM FOR

Pregn	ant Woman	Breastfeeding Wor	nan	
PATIENT'S NAME				
ADDRESS				
PHONE	BIRTHDATE		AGE	<u>_</u>
The following information is required for re	ferral to the WIC Program:			
ALL WOMEN:	ALL WOMEN:	PREGNANT:	BREASTFEEDING:	
Present wt:	Hct: % and/or	E.D.C	Del. date:	
Present ht:	Hgb: gm	Wks gest:	Gest. age:	wks.
Date taken:	Date taken:	Prepreg. wt.:lbs.	Wt. gained:	lbs.
Vit/Min Rx:		Wt. gained: lbs.	Prepreg. wt.:	lbs.
Lead poisoning Previous stillbirth, miscarriage Previous premature delivery Multiple birth or fetus	, abortion	Chronic disease: Hypertension, diabetes Late entry to OB care (after Substance abuse: Therapeutic diet ordered:	1st trimester)	
Additional Diagnoses/Health Concerns:				
Physician or Health Professional's Name				
Address:				
			rnone:	
Medicai Ol	ffice/Clinic:			·
Signature:			Date:	

Final eligibility is based on a combination of nutritional, financial and medical criteria which will be determined by the local WIC Project.

This is an Equal Opportunity Program. If you believe you have been discriminated against because of age, race, color, handicap, sex, creed, national origin, ancestry, sexual orientation, arrest or conviction record, marital status, or religion, write immediately to your local WIC project. If you are not satisfied or if you do not get a response in approximately 30 days, write to DHSS, Affirmative Action/Civil Rights Compliance Office, P.O. Box 7850, Madison, WI 53707.

LOCAL WIC PROJECT:

# APPENDIX 13 WISCONSIN LEAD TESTING RESOURCES

### Paint Testing and Environmental Evaluation:

Milwaukee Health Department, Environmental Health Unit evaluates lead hazards in Milwaukee residences where children have elevated blood lead levels: (414) 278-3538.

Local/county health departments may have limited capability to analyze lead in paint.

State Lab of Hygiene Toxicology Lab (608) 263-8160 and Milwaukee City Health Department (414) 278-3526 can test paint chips for lead content.

#### **Blood:**

Blood samples can be taken at any medical practice and in some local public health agencies and WIC clinics. For diagnostic blood lead analysis, these laboratories participate in national proficiency programs and have considerable experience:

State Lab, Toxicology	(608) 262-1146
West Allis Hospital Laboratory	(414) 546-6313
Milwaukee City Health Department	(414) 278-3526
Milwaukee Children's Hospital	(414) 266-2500
Marshfield Clinics	(715) 387-5317

Many of these labs, particularily the State Lab and Milwaukee City Health Department, provide advice on screening and blood testing.

Water: UW State Laboratory of Hygiene: (608) 262-1293

Department of Natural Resources certifies labs for water testing: (608) 266-0821

or DNR district offices.

Soil: UW Soils Lab: Madison (608) 262-4364 Milwaukee (414) 229-4894

Pottery: State Lab: (608) 262-1146

Milwaukee City Health Department Lab: (414) 278-3526

# Occupational Exposures:

U.S. Department of Labor OSHA:	Milwaukee	(414) 297-3315
	Appleton	(414) 734-4521
	Madison	(608) 264-5388
	Eau Claire	(715) 832-9019

Wisconsin Division of Health: (608) 266-9383 Milwaukee City Health Department: (414) 278-3538

# Home Testing Equipment for Pottery and Painted Surfaces:

Frandon: (800) 359-9000 Hybrivet: (800) 262-LEAD BGI: (617) 891-9380

#### General Information:

Wisconsin Division of Health: (608) 266-5885; regional offices or your local or county health department.

# APPENDIX 13a REPRINTED FROM PREVENTING LEAD POISONING IN YOUNG CHILDREN A STATEMENT BY THE CENTERS FOR DISEASE CONTROL - OCTOBER, 1991

#### Screening Schedule

The following sections provide a minimum screening schedule for children aged 6 up to 36 and 36 to 72 months. The schedule is not rigid. Rather, it is a guide for pediatric health-care providers and screening programs to use in conjunction with other pertinent information in determining when an individual child should be tested.

# Children six up to 36 months of age:

A questionnaire should be used at each routine office visit to assess the potential for high-dose lead exposure and, therefore, the appropriate frequency of screening.

# Schedule if the child is at low risk for high-dose lead exposure by questionnaire:

A child at <u>low risk</u> for exposure to high-dose lead sources by questionnaire should have an initial blood lead test at 12 months of age.

If the 12-month blood lead result is  $<10 \,\mu g/dL$ , the child should be retested at 24 months if possible, since that is when blood lead levels peak.

If a blood lead test result is 10-14  $\mu$ g/dL, the child should be retested every three to four months. After two consecutive measurements are < 10  $\mu$ g/dL or three are <15  $\mu$ g/dL, the child should be retested in a year.

If any blood lead test result is  $\geq 15 \,\mu g/dL$ , the child needs individual case management, which includes retesting the child at least every three to four months.

# - Schedule if the child is at high risk for high-dose lead exposure by questionnaire:

A child at high risk for exposure to high-dose lead sources by questionnaire should have an initial blood lead test at six months of age.

If the initial blood lead result is <10  $\mu$ g/dL, the child should be rescreened every six months. After two subsequent consecutive measurements are <10  $\mu$ g/dL or three are <15  $\mu$ g/dL, testing frequency can be decreased to once a year.

If a blood lead test result is 10-14  $\mu$ g/dL, the child should be screened every three to four months. Once two subsequent consecutive measurements are <10  $\mu$ g/dL or three are <15  $\mu$ g/dL, testing frequency can be decreased to once a year.

If any blood lead test result is  $\geq 15 \,\mu g/dL$ , the child needs individual case management, which includes retesting the child at least every three to four months.

# Children $\geq$ 36 months and <72 months of age:

As for younger children, a questionnaire should be used at each routine office visit of children from 36 to 72 months of age. Any child at high risk by questionnaire who has not previously had a blood lead test should be tested. All children who have had venous blood lead tests  $\geq 15 \mu g/dL$  or who are at high risk by questionnaire should be screened at least once a year until their sixth birthday (age 72 months) or later, if indicated (for example, a developmentally delayed child with pica). Children should also be rescreened any time history suggests exposure has increased. Children with blood lead levels  $\geq 15 \mu g/dL$  should receive followup as described below.


# Followup of children with blood lead levels $\geq 15 \mu g/dL$ :

Followup of children with blood lead levels  $\geq 15 \,\mu g/dL$  is briefly summarized below. In general, such children should receive blood lead tests at least every three to four months.

- If the blood lead level is 15-19  $\mu$ g/dL, the child should be screened every three to four months, the family should be given education and nutritional counseling and a detailed environmental history should be taken to identify any obvious sources or pathways of lead exposure. When the venous blood lead level is in this range in two consecutive tests three to four months apart, environmental investigation and abatement should be conducted, if resources permit.
- If the blood lead level is ≥20 μg/dL, the child should be given a repeat test for confirmation. If the venous blood lead level is confirmed to be ≥20 μg/dL, the child should be referred for medical evaluation and followup. Such children should continue to receive blood lead tests every three to four months or more often if indicated. Children with blood lead levels ≥45 μg/dL must receive urgent medical and environmental followup, preferably at a clinic with a staff experienced in dealing with this disease. Symptomatic lead poisoning or a venous blood lead concentration ≥70 μg/dL is a medical emergency, requiring immediate inpatient chelation therapy.

# APPENDIX 13b LEAD SCREENING GUIDELINES

LEAD SCREENING (AGE 6-72 MONTHS)



# APPENDIX 13c QUESTIONS FOR LEAD SCREENING - RISK ASSESSMENT

Beginning at six months of age and at each visit thereafter, the provider must discuss with the child's parent or guardian childhood lead poisoning interventions and assess the child's risk for exposure. Ask the following types of questions at a minimum.

- Does your child live in or regularly visit an older house built before 1960? Was your child's day care center, preschool, or babysitter's home built before 1960? Does the house have peeling or chipping paint?
- Does your child live in a house built before 1960 with recent, ongoing or planned renovation or remodelling?
- Have any of your children or their playmates had lead poisoning?
- Does your child frequently come in contact with an adult who works with lead? Examples are construction, welding, pottery (or other trades practiced in your community).
- Does your child live near a lead smelter, battery recycling plant, or other industry likely to release lead such as (give examples in your community)?
- Do you give your child any home or folk remedies which may contain lead?
- Does your child live near a heavily travelled major highway where soil and dust may be contaminated with lead?
- Does your home's plumbing have lead pipes or copper with lead solder joints?
- Ask any additional questions that may be specific to situations which exist in a particular community.

If the answer to <u>any</u> question is positive, a child is considered high risk for high doses of lead exposure. One additional question that should also be asked for determining risk is:

• When, if ever, did your child have a blood lead test done?

Source: State Medicaid Manual, Part 5, September, 1992 Effective Date: 9/19/92

Issued: 06/92

# APPENDIX 14 HIGH RISK FACTORS FOR HEARING LOSS IN NEONATES AND INFANTS

#### HIGH RISK FACTORS FOR HEARING LOSS IN NEONATES AND INFANTS

In 1990 the Joint Committee on Infant Hearing\*, in response to recent research and new legislation (P.L. 99.457), expanded and clarified the risk criteria for hearing loss they proposed in 1982. Because moderate to severe sensorineural hearing loss can be confirmed in 2.5% to 5.0% of neonates manifesting any of the previously published risk criteria, audiological testing of this group by six months of age is warranted. The Program for Children with Special Health Care Needs (CSHCN) recommends that neonates or infants who have one or more of the risk factors should be referred to a qualified audiologist for hearing screening.

#### A. Risk Criteria: Neonates (birth - 28 days)

The risk factors that identify those neonates who are at-risk for sensorineural hearing impairment include the following:

- 1. \*\*Family history of congenital or delayed onset childhood sensorineural impairment.
- 2. Congenital infection known or suspected to be associated with sensorineural hearing impairment such as toxoplasmosis, syphilis, rubella, cytomegalovirus and herpes.
- 3. Craniofacial anomalies including morphologic abnormalities of the pinna and ear canal, absent philtrum, low hairline, et-cetera.
- 4. Birth weight less than 1500 grams (-3.3 lbs.).
- 5. Hyperbilirubinemia at a level exceeding indication for exchange transfusion.
- 6. Ototoxic medications including but not limited to the aminoglycosides used for more than 5 days (e.g., gentamicin, tobramycin, kanamycin, streptomycin) and loop diuretics used in combination with aminoglycosides.
- 7. Bacterial meningitis.
- 8. Severe depression at birth, which may include infants with Apgar scores of 0-3 at 5 minutes or those who fail to initiate spontaneous respiration by 10 minutes or those with hypotonia persisting to 2 hours of age.
- 9. Prolonged mechanical ventilation for a duration equal to or greater than 10 days (e.g., persistent pulmonary hypertension).
- 10. Stigmata or other findings associated with a syndrome known to include sensorineural hearing loss (e.g., Waardenburg or Usher's Syndrome).

## B. Risk Criteria: Infants (29 days - 2 years)

The factors that identify those infants who are at-risk for sensorineural hearing impairment include the following:

- 1. Parent/caregiver concern regarding hearing, speech, language, and/or developmental
- 2. Bacterial meningitis.
- 3. Neonatal risk factors that may be associated with progressive sensorineural hearing loss (e.g., cytomegalovirus, prolonged mechanical ventilation and inherited disorders).
- 4. Head trauma especially with either longitudinal or transverse fracture of the temporal bone.
- 5. Stigmata or other findings associated with syndromes known to include sensorineural hearing loss (e.g., Waardenburg or Usher's Syndrome).
- 6. Ototoxic medications including but not limited to the aminoglycosides used for more than 5 days (e.g., gentamicin, tobramycin, kanamycin, streptomycin) and loop diuretics used in combination with aminoglycosides).
- 7. Children with neurodegenerative disorders such as neurofibromatosis, myoclonic epilepsy, Werdnig-Hoffman disease, Tay-Sach's disease, infantile Gaucher's disease, Nieman-Pick disease, any metachromatic leukodystrophy, or any infantile demyelinating neuropathy.
- 8. Childhood infectious diseases known to be associated with the sensorineural hearing loss (e.g., mumps, measles).

\*The 1990 Joint Committee was represented by the following: American Speech-Language-Hearing Association; American Academy of Otolaryngology-Head and Neck Surgery; American Academy of Pediatrics; Council on Education of the Deaf; Directors of Speech and Hearing Programs in State Health and Welfare Agencies.

\*\*This criteria pertains ONLY to relatives of the child who had a permanent hearing loss which began in the first five years of life, and required the use of a hearing aid and/or special education.

# **APPENDIX 14a**

DEPARTMENT OF HEALTH & SOCIAL SERVICES Division of Health DOH 1067 (5/91)

STATE OF WISCONSIN

# YOUR CHILD'S SPEECH AND HEARING

# **INSTRUCTIONS:**

Read each question through the child's age group and check YES or NO. Add the total number of NOs. If you obtain 2 or more NOs within an age level, or three or more NOs in all age groups through the child's age group refer for audiological and communicative screening/assessment.

Check One 🗸 YES NO	Hearing and Understanding	Child's Age	Talking	i _	eck e 🗸 NO
	Does your child listen to speech? Does your child startle or cry at noises? Does your child awaken at loud sounds?	BIRTH	Does your child make pleasure sounds? When you play with your child, does he/she look at you, look away, & then look again?	-	
	Does your child turn to you when you speak? Does your child smile when spoken to? Does your child seem to recognize your voice and quiet down if crying?	0-3 MONTHS	Does your child repeat the same sounds a lot (cooing, gooing)?  Does your child cry differently for different needs?  Does your child smile when he/ she sees you?		
	Does your child respond to "no"? Changes in your tone of voice? Does your child look around for the source of new sounds, e.g., the doorbell, vacuum, dog barking? Does your child notice toys that make sound?	4-6 MONTHS	Does your child's babbling sound more speech-like with lots of different sounds, including p, b, and m?  Does your child tell you (by sound or gesture) when he/she wants you to do something again?  Does your child make gurgling sounds when left alone? When playing with you?		
	Does your child recognize words for common items like "cup," "shoe," "juice"?  Has your child begun to respond to requests ("come here," "want more?")?	7 MONTHS-1 YEAR	Does your child have 1 or 2 words (bye-bye, dada, mama, no) although they may not be clear?		
	Does your child enjoy games like peek-a-boo and pat-a-cake? Does your child turn or look up when you call his or her name? Does your child listen when spoken to?		Does your child's babbling have both long and short groups of sounds such as "tata upup bibibibi"?  Does your child imitate different speech sounds?  Does your child use speech or non-crying sounds to get and keep your attention?		

# APPENDIX 14a YOUR CHILD'S SPEECH AND HEARING (continued)

VES NO  Can your child point to pictures in a book when they are named? Does your child point to a few body parts when asked? Can your child follow simple commands and understand simple questions ("Fell the ball," 'Kiss the baby," "Where's your shoe?")? Does your child file the ball, "Kiss the baby," "Where's your shoe?"? Does your child file the ball, "Kiss the baby," "Where's your shoe?"? Does your child file the ball, "Kiss the baby," "Where's your shoe?"? Does your child file the ball, "Kiss the baby," "Where's your shoe?"? Does your child file the ball, "Kiss the baby," "Where's your shoe?"? Does your child file the ball, "Kiss the baby," "Where's your shid got the beginning of words? Does your child file the ball and the same of the family? Does your child the stream of the family? Does your child hear you when you call from another room? Does your child hear you when you call from another room? Does your child hear shoul hear you when you call from another room? Does your child hear shoul hear you when you call from another room? Does your child hear shoul hear you when you call from another room? Does your child hear wou when you call from another room? Does your child hear wou when you call from another room? Does your child hear wou when you call from another room? Does your child hear wou when you call from another room? Does your child hear and understand most of what is said at home and in school?  Does your child hear and understand hear well the child when you call from another room? Does your child hear and understand most of what is said at home and in school? Does your child hear and understand most of what is said at home and in school? Does your child say all sounds correctly except a lew. like r. l. th another words? Does your child say all sounds correctly except anyth one or words? Does your child say all sounds correctly except maybe one or two? Does your child use attention to a story and answer simple questions about it?  Total	Chec One	Hearing and Understanding Child's Age		Talking	Check One ✔	
a book when they are named?  Does your child point to a few body parts when asked?  Can your child follow simple commands and understand simple guessions ("Roll the ball," Yes the baby." Where's your shoe 2/9?  Does your child justen to simple stoness, songs, and rhymes?  Does your child isten to simple stoness, songs, and rhymes?  Does your child understand differences in meaning ("go-stop" in-ori"; "big-little"; "up-down")?  Does your child ontoritup to notice sounds (television sound, knocking at the doon)?  Can your child follow five requests ("get the ball and put it on the labe")?  Does your child ontoritup to notice solved as other members of the family?  Does your child hear you when you call from another room?  Does your child hear you when you call from another room?  Does your child hear you when you call from another room?  Does your child hear you when you call from another room?  Does your child hear you when you call from another room?  Does your child hear you when you call from another room?  Does your child hear shoul room is a fact the same boutness level as other members of the family?  Does your child as stoned or a frends' homes?  Does your child say most sounds correctly except a few. like r. i. th and s?  Does your child say without repeating syllables or words?  Does your child say all sounds correctly except a few. like r. i. th and s?  Does your child say all sounds correctly except a few like r. i. th and strength of the strength of the family?  Does your child say all sounds correctly except haybe one or to room and in school?  Does your child say attention to a story and answer simple questions about it?  Does your child say attention to a story and answer simple questions go the family?  Does your child say attention to a story and stock pretty much to the topic?  Does your child say attention to a story and stock pretty much to the topic?  Does your child see same grammar as the rest of the family?  Does your child see same grammar as the rest of the family?  Does your child see	YES N	O Officer startding			YES	NO
differences in meaning ("go-stop", "in-on"; big-little"; "up-down")?  Does your child continue to notice sounds (telephone ringing, television sound, knocking at the door)?  Can your child follow two requests ("get the ball and put it on the table")?  Does your child hear you when you call from another room?  Does your child hear television or radio at the same loudness level as other members of the family?  Does your child answer simple "who." "what." "where," "why" questions?  Does your child hear and understand most of what is said at home and in school?  Does everyone who knows your child their said at home and in school?  Does everyone who knows your child their said at home and in school?  Does everyone who knows your child their said at home and shool?  Does your child bear and understand most of what is said at home and in school?  Does everyone who knows your child their said at home and shool?  Does your child bear and understand most of what is said at home and in school?  Does everyone who knows your child their said at home and shool?  Does your child say attention to a story and answer simple questions about it?  A-5 YEARS  Does your child communicate easily with other children and adults?  Does your child use a lot of sentences that have 4 or more words?  Does your child say all sounds correctly except maybe one or two?  Does your child use the same grammar as the rest of the family?  Does your child use sentences that give lots of details (e.g., "I have two red balls at home")?  Can your child tell you a story and stick pretry much to the topic?		a book when they are named?  Does your child point to a few body parts when asked?  Can your child follow simple commands and understand simple questions ("Roll the ball," "Kiss the baby," "Where's your shoe?")?  Does your child listen to simple	1-2 YEARS	more words every month?  Does your child use some 1-2 word questions ("where kitty?" "go bye-bye?" what's that?")?  Does your child put 2 words together ("more cookie." "no juice." "mommy block")?  Does your child use many different consonant sounds at the		
you call from another room? Does your child hear television or radio at the same loudness level as other members of the family? Does your child answer simple "who," "what," "where," "why" questions?  Does your child hear and understand your child said at home and in school?  Does your child hear and understand most of what is said at home and in school?  Does everyone who knows your child think he/she hears well (teacher, baby sitter, grandparent, etc.)?  Does your child pay attention to a story and answer simple questions about it?  Does your child think he/she hears well (teacher) consumption of the family?  Does your child by attention to a story and answer simple questions about it?  Does your child think he/she hears well (teacher) consumption of the family?  Does your child say all sounds correctly except maybe one or two?  Does your child use the same grammar as the rest of the family?  Does your child use sentences that give lots of details (e.g., "I have two red balls at home")?  Can your child tell you a story and stick pretty much to the topic?		differences in meaning ("go-stop"; "in-on"; "big-little"; "up-down")?  Does your child continue to notice sounds (telephone ringing, television sound, knocking at the door)?  Can your child follow two requests ("get the ball and put it on the	2-3 YEARS	almost everything?  Does your child use 2-3 word "sentences" to talk about and ask for things?  Do you understand your child's speech most of the time?  Does your child often ask for or direct your attention to objects by		
stand most of what is said at home and in school?  Does everyone who knows your child think he/she hears well (teacher, baby sitter, grandparent, etc.)?  Does your child pay attention to a story and answer simple questions about it?  Does your child use the same grammar as the rest of the family?  Does your child's voice sound clear like other children's?  Does your child use sentences that give lots of details (e.g., "I have two red balls at home")?  Can your child tell you a story and stick pretty much to the topic?		you call from another room?  Does your child hear television or radio at the same loudness level as other members of the family?  Does your child answer simple "who," "what," "where," "why"	3-4 YEARS	he/she does at school or a friends' homes?  Does your child say most sounds correctly except a few. like r. l, th and s?  Does your child usually talk easily without repeating syllables or words?  Do people outside your family usually understand your child's speech?  Does your child use a lot of sentences that have 4 or more		
Total Total		stand most of what is said at home and in school?  Does everyone who knows your child think he/she hears well (teacher, baby sitter, grandparent, etc.)?  Does your child pay attention to a story and answer simple questions	4-5 YEARS	easily with other children and adults?  Does your child say all sounds correctly except maybe one or two?  Does your child use the same grammar as the rest of the family?  Does your child's voice sound clear like other children's?  Does your child use sentences that give lots of details (e.g., "I have two red balls at home")?  Can your child tell you a story and		
		Total		Total		

# APPENDIX 15 SCREENING SCHEDULE FOR PEDIATRIC EYE PROBLEMS

# Screening schedule for pediatric eye problems

By incorporating the following screening procedures into your program of well-child checks, you'll be able to make the earliest possible referrals for strabismus, amblyopia, and other serious eye problems, which you may encounter.

Age	Recommended procedures	Refer to an ophthalmologist if you find:
Newborn (nursery exam)	Consider history, examine external ocular structures. Assess infant's ability to follow your face. Perform red reflex gemini test. Try to examine fundi.	Any impediment to flow of light to the retina, infection, malformation, corneal abnormalities, or photophobia.
2 months	Check external ocular structures. Perform red reflex gemini test. Test pupillary reflexes.	Any condition listed above or abnormal pupillary response.
3 - 4 months	Ask parent if child's eyes always seem aligned and appear to be working together. Examine external ocular structures. Perform red reflex gemini/comeal light reflex test and cover test. Test pupillary reflexes.	Any condition listed above.*
6 months	Update history. If history is negative, perform red reflex gemini/corneal light reflex test and cover test, test pupillary reflexes and examine fundi.	Any condition listed above or any indication of misalignment or abnormal eye movement.
6 months to 2 - 3 years	Update history. Perform red reflex gemini/corneal light reflex test and cover test.	Any condition listed above.
2 - 3 years (when child begins to become verbal)	Update history. If negative, perform red reflex gemini/corneal light reflex test and cover test. Test visual acuity in each eye separately with Allen picture cards.	Any condition listed above or test results suggesting a great difference in visual acuity between the two eyes.**
3 - 4 years (approximately)	Same as above, but consider using E game or HOTV chart to test visual acuity.	Any condition listed above.**
5 years (or when child becomes literate)	Same as above, but consider using a standard Snellen's chart to assess visual acuity.	Any condition listed above.**

<sup>\*</sup>You might want to refer if you find any indication of misalignment or abnormal eye movement; at least plan to recheck your finding before 6 months of age.

<sup>\*\*</sup>A difference of 5 ft in the Allen picture card test or of two lines in the E game, HOTV chart, or Snellen's chart indicates a significant difference in visual acuity.

# APPENDIX 16 HEALTHCHECK RESOURCE GUIDE

### SECTION A - Resources Available from EDS

- 1. <u>Bureau of Health Care Financing Publications</u> The following publications may be obtained by writing to the address listed in Appendix 3 of Part A of the WMAP Provider Handbook.
  - a. Wisconsin Medical Assistance Provider Handbook

Handbooks include procedure guidelines and billing instructions for <u>all providers</u> and for <u>specific provider</u> types in the Wisconsin Medical Assistance Program. Do <u>not</u> send orders to the Bureau of Health Care Financing.

b. Maximum Allowable Fee Schedules

Procedure codes and maximum allowable fees for specific provider types participating in the Wisconsin Medical Assistance Program.

c. Provider Bulletins (A Subscription Service)

A set of individual bulletins issued periodically. Current information regarding changes or clarifications of new and existing Medical Assistance policies and procedures.

\* Fee

# SECTION B - Resources Available Directly from State Agencies

- 1. DEPARTMENT OF HEALTH AND SOCIAL SERVICES
  - a. <u>Bureau of Health Care Financing Publications\*</u> Available from the Bureau of Health Care Financing at the address listed below.

		Document #
-	HealthCheck Outreach/Case Management Providers by County	
-	HealthCheck Individual Health History Form	DOH 1002
-	HealthCheck Brochure (English)	POH 1007
-	HealthCheck Brochure (Spanish)	POH 1007S
-	HealthCheck Brochure (Hmong)	POH 1007H
-	Oral Assessment Instruction	POH 1038
-	HealthCheck Periodicity Table	DOH 1061
-	HealthCheck Adolescent Review Form	DOH 1062
-	HealthCheck Family History	DOH 1063
-	Infant Food Record (0-12 Months of Age)	DOH 1066
-	Child's Food Record (1-12 Years of Age)	DOH 1066A
3' #	Adolescent Food Record (13-20 Years of Age)	DOH 1066B
-	Your Child's Speech and Hearing	DOH 1067
-	Daily Food Suggestions for Infants	POH 1030
-	Modified Basic Four Food Groups	POH 1031
-	Screening Schedule for Pediatric Eye Problems	POH 1033
-	Preventing Childhood Lead Poisoning	POH 4535
-	Renovating Your House	POH 4529

(continued)

# **APPENDIX 16** HEALTHCHECK RESOURCE GUIDE

(continued)

# Section B - Resources Available Directly from State Agencies (continued)

- HealthCheck Poster (8 1/2 x 14")	POH 1041
- HealthCheck Check Stuffer/Handbill	POH 1041A
- HealthCheck Bus Poster (14 x 28)	POH 1041B
- HealthCheck Stickers	POH 1041C
- HealthCheck Logo Sheet	POH 1041D
- HealthCheck Periodicity Poster	
- HealthCheck Note Pad	POH 1042
A Maria Company of the Company of th	DOH 1103
<ul> <li>HealthCheck Verification Card (100/packet)</li> </ul>	DOH 1112
Age Creeifie Health Oheal Decomposition Deco	- `
Age Specific HealthCheck Documentation Forms* (by Memee K. Chun, M.1	
- 3-4 Weeks	DOH 1068A
- 6-8 Weeks	DOH 1068B
- 4 Months	DOH 1068C
- 6 Months	DOH 1068D
- 9 Months	DOH 1068E
- 12 Months	DOH 1068F
- 15 Months	DOH 1068G
- 18 Months	DOH 1068H
- 24 Months	DOH 1068I
- 3-5 Years (preschool)	DOH 1068J
- 6-12 Years (elementary school)	DOI 10087
DOH 1068K	
10.0017	

- 13-20 Years (teenage) **DOH 1068L** - Teenager Confidential Health Survey **DOH 1068M** 

\* No Charge

Available from:

Wisconsin Division of Health

Bureau of Health Care Financing

Forms Publication Post Office Box 309 Madison, WI 53701-0309

- Family and Community Health Maternal and child health materials are available from Wisconsin's b. Division of Health - Family and Community Health, Family Health Unit, at the address listed below.
  - Report of the Second Task Force on Blood Pressure Control in Children (1987)
  - Chlamydia Trachomatis Risk Assessment Checklist and Policies/Protocols.
  - Nutrition Screening and Assessment Manual (0-5 Years)
  - Family Health Resource Catalog and order form

# APPENDIX 16 HEALTHCHECK RESOURCE GUIDE

(continued)

# Section B - Resources Available Directly from State Agencies (continued)

- Helping Baby Grow: Month by Month (Parents) - A food guide for parents of children 1-5 years of age

#4029

- The first 12 months: A guide to feeding your baby (Parents)

#4030

- Healthy Teeth for Happy Smiles (Parents) - A dental pamphlet for parents of infants and young children

#4078

\* No Charge

Available From:

Wisconsin Division of Health

Bureau of Public Health Family Health Unit 1 West Wilson Street Post Office Box 309 Madison, WI 53701-0309

## c. <u>Division of Community Services</u>

Licensing Rules for Group and Family Day Care Centers (10/84)

Available From:

Wisconsin Division of Community Services

1 West Wilson Street, Room 465

Madison, WI 53701

# d. Bureau of Public Health, Communicable Disease Prevention and Control Unit

 Information and Recommendations for child care and pediatric AIDS, HIV Infections and Related Conditions

#4200

Educators Guide to AIDS & Other STD's

#4263

Available from:

Wisconsin Division of Health Bureau of Public Health

Communicable Disease Prevention and Control Unit

1414 E. Washington Avenue Madison, WI 53703-3044

# APPENDIX 16 HEALTHCHECK RESOURCE GUIDE (continued)

### Section B - Resources Available Directly from State Agencies (continued)

# 2. DEPARTMENT OF PUBLIC INSTRUCTION

		Document #
-	A Guide to Curriculum Planning in Health Education (1987 Reprint)	#6102
-	Instructions about AIDS in Wisconsin Schools (1988)	#8248
-	Dealing with Child Sexual Assault and Abuse: A Resource and Planning Guide (1989 Reprint)	#6509
-	Suicide Prevention: A Resource and Planning Guide (1988 Reprint)	#6517
-	Educational Assessment of Emotional Disturbance: An Evaluation Guide (1990)	#0452

All Orders Must be Accompanied by Personal Check or Money Order, or call with Visa or Master Card Orders. Catalog Available.

Available From: Publications Sales

Wisconsin Department of Public Instruction

Drawer 179

Milwaukee, WI 53293-0179 Customer Service: (800) 243-8782

Fax: (608) 267-1052

# SECTION C - Resources Available from National Organizations

# 1. National Society for the Prevention of Blindness

- Guidelines for School and Preschool Vision Screening. Reprint available after 4/91.

### a. Prevent Blindness - Wisconsin

- Most Current Guidelines Used Throughout the State

\* Fee

Available From: National Society to Prevent Blindness

759 North Milwaukee Street Milwaukee, WI 53202

(414) 765-0505

# 2. American Heart Association

- Cholesterol Tracking Record

# **APPENDIX 16** HEALTHCHECK RESOURCE GUIDE

(continued)

# SECTION C - Resources Available from National Organizations (continued)

- Prevention of Rheumatic Fever: A Statement for Health Professionals (1988 Revised)
- Diet in the Healthy Child (1983)
- Dietary Treatment for High Blood Pressure and High Cholesterol for the Patient
- Dietary Treatment for Increased Blood Pressure and Increased Cholesterol for the Counselors

Available From:

American Heart Association 795 North Van Buren Street Milwaukee, WI 53202 1-800-242-9236

#### 3. American Academy of Pediatrics

_	Guidelines for Health Supervision 2nd Edition (1999)	Document #
-	Guidelines for Health Supervision - 2nd Edition (1988) Spiral bound, 22 cue cards	MA 0021*
-	Substance Abuse: A Self-Teaching Guide for Health Professionals (1988) Softcover	MA 0036*
-	Adolescent Sexuality: Guides for Professional Involvement (1988). Two-volume - 3 Ring Binder Set.	MA 0040
-	Pediatric Nutrition Handbook - 2nd Edition (1985)	MA 0020
-	Child Sexual Abuse: What It Is and How to Prevent It (100 copies)	HE 0029*
-	Health Care for Children of Migrant Families (10/89)	HE 9166
-	Health Needs of Homeless Children (12/88)	RE 8124
-	Adolescent Health Update - Physical Assessment of Early Adolescent (Tanner Sex Maturity Ratings - 1989)	HE 0091

<sup>\*</sup> Member and Nonmember fee(s).

Available From:

Publications Department

141 Northwest Point Boulevard

Post Office Box Box 927

Elk Grove Village, IL 60009-0927 (708) 228-5005 (Catalog available)

# APPENDIX 16 HEALTHCHECK RESOURCE GUIDE

(continued)

# SECTION C - Resources Available from National Organizations (continued)

## **U.S. GOVERNMENT PRINTING OFFICE**

- Federal Health Services Publications Catalog

Available From:

U.S. Government Printing Office

Washington, DC 20402-9325

(202) 783-3238 (Order and Information Desk) (202) 275-3634 (For Updates on Publications)

- \* No Charge
- Health Information Resources in Federal Government: Year 2000 Priorities 5th Edition (1991)
  - \* Fee

Available From:

National Center for Health Information

Post Office Box 1133

Washington, DC 20013-1133 Telephone: 1-800-336-4797

301-565-4167

JOHN MUIR MEDICAL CENTER - A catalog of entries (613 audiovisuals) is available from John Muir Medical Center at the address listed below.

- Babies at Risk The Growing Tragedy of Babies Being Born Malnourished or Drug Addicted
- The Miracle of Birth
- New Parents, New Baby
- Parents Guide to Quality Child Care
- \* Fee

Available From:

John Muir Medical Center 1601 Ygnacio Valley Road Walnut Creek, CA 94598

(415) 947-5303 Fax: (415) 947-5341

# **APPENDIX 16** HEALTHCHECK RESOURCE GUIDE

(continued)

# SECTION C - Resources Available from National Organizations (continued)

### OTHER RESOURCES

- W.I.C. (Women's, Infant's and Children's). WIC Referral Forms are available from the WIC Program Project or your local Health Department
- Risking the Future: Adolescent Sexuality, Pregnancy and Childbearing Vol. 1 and 2 (1987) \* Catalog Available

Available From:

National Academy Press

Publications Division of National Academy of Science

2101 Constitution Avenue Northwest

Washington, DC 20418 Attn: Order Department Telephone: (202) 334-2000

- Mentoring Manual/Handbook: A guide to Program Development and Implementation (1989) Resource for mentoring disadvantaged youth
- \* Fee, no purchase orders or charges accepted.

Available From:

Abell Foundation

210 North Charles Street #1116

Baltimore, MD 21201 (301) 547-1300

- Teaching Decision Making to Adolescents: A Critical Review (1989)
- \* Publication List Available

Available From:

Carnegie Council on Adolescent Development

2400 North Street Northwest Floor 6

Washington, DC 20036 Telephone: 202-429-7979 Fax: 202-775-0134

- Make a Life for Yourself (1988 Revision) \* Catalog Available
- \* Minimal Cost

Available From:

Center for Population Options

1025 Vermont Avenue Northwest #210

Washington, DC 20005 Telephone: (202) 347-5700

# APPENDIX 16 HEALTHCHECK RESOURCE GUIDE (continued)

# SECTION C - Resources Available from National Organizations (continued)

- Safe State, Safe Teen Counseling Guide (1989)

Available From: Massachusetts Dept. of Public Health

Statewide Comprehensive Injury Prevention Program

150 Tremont Street, 3rd Floor

Boston, MA 02117

Telephone: (617) 727-1246

# MODEL ADOLESCENT HEALTH SCREENING/ASSESSMENT TOOLS

- Health History and Physician Exam

Available From: Operation Fresh Start

Attn: Susan Bunge-Quigley 1925 Winnebago Street Madison, WI 53704 Telephone: (608) 244-4721

- Adolescent Review (History Supplement)

Available From: Wisconsin Division of Health

Attn: Family and Community Health Section

Post Office Box 309 1 West Wilson Street Madison, WI 53701-0309 Telephone: (608) 266-0220

- Adolescent Health Risk Appraisal

Available From: Waukesha County Department of Health

Attn: Beth Heller 325 East Broadway Waukesha, WI 53186 Telephone: (414) 549-3012

- Teen Health Assessment Form - Teen Health Services

Available From: LaCrosse Lutheran Hospital

Attn: Brian Theiker - Teen Health Service

1910 South Avenue LaCrosse, WI 54601 Telephone: (608) 785-0530

# APPENDIX 16 HEALTHCHECK RESOURCE GUIDE (continued)

SECTION C - Resources Available from National Organizations (continued)

# ADOLESCENT NEEDS ASSESSMENT TOOLS LISTED IN WISCONSIN

Youth Risk Behavior Survey - Center for Disease Control. This tool was administered by the Department of Public Instruction to a sampling of grades 9-12 in the Spring of 1990.

Available From:

Department of Public Instruction

Attn: Barbara Nehls-Lowe

125 South Webster Street, 4th Floor

Madison, WI 53707

Teen Assessment Project - University of Wisconsin Extension

Through a statewide youth initiative, the cooperative extension works with schools and communities to do a needs assessment and analysis of data. Surveys were completed in schools in the following counties:

Juneau	Oconto	Grant
Clark	Adams	Ashland
Forest	Florence	Jefferson
Oneida	Vilas	Langlade
Marathon		Č

\* Minimal cost

Available From:

University of Wisconsin

Department of Child and Family Studies

Attn: Stephen Small Madison, WI 53706

or

Contact your local Cooperative Extension agent.

# SECTION D - Other

#### Referral Forms:

HealthCheck referral forms can be obtained by submitting a written request to:

**EDS** 

Attn: Claim Reorder 6406 Bridge Road Madison, WI 53784-0003

# APPENDIX 16 HEALTHCHECK RESOURCE GUIDE (continued)

# SECTION C - Resources Available from National Organizations (continued)

\*\*Allen Picture Cards For use in doing vision testing with 2-3 year olds. May be ordered from:

Herslof Optical University Station Clinics 2880 University Avenue Madison, WI 53705

\*\* There is a charge for these cards.

Denver 2 Developmental Kit

Denver Developmental Materials, Inc. P.O. Box 6919 Denver, CO 80206-0919 Telephone: (303) 355-4729

\* There is a charge for this kit.

# APPENDIX 17 HEALTHCHECK SERVICES CODES

# ALLOWABLE PLACE OF SERVICE

<u>Code</u>	<b>Description</b>
Ø	Other
2	Outpatient Hospital
3	Office
4	Home

# ALLOWABLE TYPE OF SERVICE

Code	<b>Description</b>
1	Medical
5	Lab
.9	Other

NOTE: Refer to Appendix 18a and 18b to identify allowable place of service and type of service codes for specific HealthCheck procedure codes.

WMAP Provider Handbook, Part D, Division I

Issued: 02/95

# APPENDIX 18a SCREENING PROCEDURE CODES

# WITH ALLOWABLE CLAIM SORT INDICATORS AND MODIFIERS FOR CLAIMS RECEIVED BY THE FISCAL AGENT DURING THE TRANSITION PERIOD (FROM 2/15/95 THROUGH 6/30/95)

**H" CLAIM SORT INDICATOR** 

Procedure	Description	POS	TOS	Claim	Modifiers
Code	•			Sort	
W7000	Comprehensive Screen	0,2-4	1	Н	01-07, 09-12, 14-20
W7002	Vision Test	0,2-4	1	Н	01-03, 05-06, 09-10, 12, 19-20
W7003	Hearing Test	0,2-4	1	Н	01-03, 06-07, 10, 12, 15, 19-20
W7009	Oral Assessment	0,2-4	1	Н	01-04, 06, 12, 14, 19-20
W7010	Pelvic Exam	0,2-4	1	Н	01-03, 06, 16-17
W7013	Interperiodic; Brief	0,2-4	1	Н	01-07, 09-12, 14-20
W7015	Interperiodic; Intermediate	0,2-4	1	Н	01-07, 09-12, 14-20
W7016	Interperiodic; Extended	0,2-4	1	Н	01-07, 09-12, 14-20
W7017	Educational Visit, Lead Poisoning	0,3,4	1	P	None
W7083	Environmental Lead Inspection (initial)	4	9	P	None
W7084	Environmental Lead Inspection (follow-up)	4	9	P	None

"P" CLAIM SORT INDICATOR

Procedure Code	Description	POS	TOS	Claim Sort	Modifiers
99381-5	Initial Evaluations	0,3,4	1	P	MR, VH, NO/HA, HB, HC
99391-5	Periodic Evaluations	0,3,4	1	P	MR, VH, NO/HA, HB, HC
W7002	Vision Test	0,3,4	1	P	None
W7003	Hearing Test	0,3,4	1	P	None
W7009	Oral Assessment	0,3,4	1	P	None
W7010	Pelvic Exam	0,3,4	1	P	None
W7013	Interperiodic; Brief	0,3,4	1	P	None
W7015	Interperiodic; Intermediate	0,3,4	1	P	None
W7016	Interperiodic; Extended	0,3,4	1	P	None
W7017	Educational Visit, Lead Poisoning	0,3,4	1	P	None
W7083	Environmental Lead Inspection (initial)	4	9	P	None
W7084	Environmental Lead Inspection (follow-up)	4	9	P	None

Issued: 02/95

# APPENDIX 18b SCREENING PROCEDURE CODES WITH ALLOWABLE CLAIM SORT INDICATORS AND MODIFIERS FOR CLAIMS RECEIVED BY THE FISCAL AGENT ON OR AFTER 7/1/95

Procedure Code	Description	POS	TOS	Claim Sort	Modifiers
99381-5	Initial Evaluations	0,3,4	1	P	MR, VH, NO or HA, HB, HC
99391-5	Periodic Evaluations	0,3,4	1	P	MR, VH, NO or HA, HB, HC
W7002	Vision Test	0,3,4	1	P	None
W7003	Hearing Test	0,3,4	1	P	None
W7009	Oral Assessment	0,3,4	1	P	None
W7010	Pelvic Exam	0,3,4	1	P	None
W7013	Interperiodic, Brief	0,3,4	1	P	None
W7015	Interperiodic, Intermediate	0,3,4	1	P	None
W7016	Interperiodic, Extended	0,3,4	1	P	None
W7017	Educational Visit, Lead Poisoning		1	P	None
W7083	Environmental Lead Inspection (initial)	4	9	P	None
W7084	Environmental Lead Inspection (follow-up)	4	9	P	None

# APPENDIX 19 EMC QUESTIONNAIRE

# PAPERLESS CLAIMS REQUEST FORM

Ple	ase complete this form if	ou want additional information	tion on electronic billing.			
Na	me:					
Ado	dress:			<u> </u>		
	-					
Me	edicaid Number:	Phone #:				
Тур	pe of Service(s) Provided:					
Est	timated Monthly Medicaid	Claims Filed:				
• •	*****		***********	* * * * * * *		
1.	Do you currently submi	your Medicaid claims on pa	aper?	_YES	_NO	
2.	Are your Medicaid clair	ns computer generated on pa	aper?	_YES	_NO	
3.	Do you use a billing ser	vice?		_YES	_NO	
	If the answer is YES to #2 or #3, please complete the following:					
	Name:					
	Address:		Phone #:			
4.	Do you have an in-hous	e computer system?		_YES	_NO	
	If YES, type of compute	er system:				
	a. Large main frame		Manufacturer:			
	(e.g., IBM 360, Bu	roughs 3800)	Model #:			
	b. Mini-Computer		Manufacturer:			
	(e.g., IBM System	34, or 36 TI 990)	Model #:	· · · · · · · · · · · · · · · · · · ·		
	c. Micro-Computer		Manufacturer:			
	(e.g., IBM PC, CO	MPAQ, TRS 1000)	Model #:			
5.	Please send the paperle	s claims manual for:				
	mag	netic tape submission				
	_ telep	phone transmission (EDS fre	ee software) 3-1/2"	5-1/4"		
	tele	phone transmission (3780 pr	otocol transmission)			

Return To:

**EDS** 

Attn: EMC Department 6406 Bridge Road Madison, WI 53784-0009

# **APPENDIX 20**

State of Wisconsin MEDICAL ASSISTANCE VOLUME VACCINE PURCHASE PROGRAM
Department of Health and Social Services SHIPPING REPORT AND ORDER FORM

Division of Health DOH-1099 (Rev 10/92)

Medical Assistance Volume Vaccine Purchase Program Shipping Report and Order Form							
informatio Complete i	Your shipment of vaccines is listed below. If you need to change your shipping information or if you need to order additional vaccines, use this form and return it to us.  Complete instructions are on the reverse side of the form. If you have questions about this form, call the Immunization Program at (608)-267-5148.						
A. Shipp	ing Informati	on					
Medical Assistance (MA) Provider Name     2. M.A. Provider Number							Number
3. Contact Pers	on and Telephone Number	er for Deliveries	4. Ship	ping Address (include st	rest address, city, state	and zip code)	
5. Days and ho	urs svujishie to receive sh	ipment: WED		THUR		FRI	
B. Vacc	ine(s) Shipme	nt		8		C. Vaccine(s) Order	
Vaccine Type	Unit	This Shipment (Units)	Lot Numbers	Total Units Shipped This F.Y.	Total Units Shipped Last F.Y. **		Order Amount (Units)
DTP	15 doses/vial					6. DTP	vials
DTaP	10 doses/vial					7. DTsP	vials
DT(Ped)	10 doses/vial					8. DT(Ped)	vials
Td(Adult)	10 doses/vial					9. Td(aduk)	vials
MMR	10 doses/box					10. MMR	box
OPV	10 doses/tray					11. OPV	tray
IPV .	1 dose/vial					12. IPV	viels
Hep. B	1 ml/vial					13. Hep. B	mi
Hib	5 doses/vial					14. HB	vials
Shipment Date:							
15. Check one box. (See instructions on reverse.)  If new provider, please check.  Other Instructions.							
	16. Signature of person completing form 17. Date of Signature						

# Medical Assistance Volume Vaccine Purchase Program Shipping Report and Order Form DOH-1099

This form is used for 3 purposes. Part A includes shipping information. Use Part A to provide current shipping instructions for the receipt of your vaccine shipments. Part B of the form will include information about the shipment when your vaccines are shipped to you. Use Part C of this form to order additional amounts of vaccines.

- 1. Medical Assistance Provider Name Enter your clinic name, or if you are in individual practice, enter your name as recognized by EDS on the provider file.
- 2. Medical Assistance Provider Number Enter your clinic billing number as recognized by EDS on the provider file. If you are in individual practice, enter your performing provider number.
- 3. Contact Person and Telephone Number for Deliveries Enter the name and telephone number of the person who will handle vaccine ordering and deliveries. Be sure to include the area code with the telephone number.
- 4. Shipping Address Enter the street address, city and state. Include a room number if appropriate. Do not use a box number. Most vaccines will be shipped by a delivery agency, such as UPS.
- 5. Days and office hours when available to receive shipment Enter the office hours when someone will be available to receive shipments of vaccine. Because vaccines must be refrigerated, we cannot ship for a Monday delivery.

- 6-14. Vaccine(s) Order Amount Enter the number of units for each vaccine; for Hepatitis B, enter the number of milliliters.
- 15. Check one box.

New provider. — If you are a new provider or one who has not received vaccine from this program before, check this box and enter your estimated three month need in items 6 - 14.

Other Instructions. – Use this box for any other action. Provide a short explanation.

- 16. Signature of person completing this form Enter the signature of the person completing this form. If it is different from the contact person listed in item 3, include a printed version of the name.
- 17. Date of Completion Enter the date when this form is completed and signed.

#### Shipping Report


Part B of the form is completed when vaccines are shipped to you. This portion of the form is essentially a packing slip. The vaccines and their unit amounts are listed in columns one and two. The third column includes the number of units in this shipment (for Hepatitis B, number of milliliters). The fourth column lists the lot numbers of the vaccines in the current shipment. The fifth column is your total shipment through the date provided. The sixth column is the total units shipped to you in the previous fiscal year.

Use this form to change your shipping instructions or to order more vaccine.

# **APPENDIX 21** ACIP RECOMMENDED IMMUNIZATION SCHEDULE

# ACIP Recommended Immunization Schedule

9/94



# NOTE

- ended vaccines may be given simultaneous
- · These recommended ages are not absolute. For example 2 months can be 6-10 weeks.



Hepatitis B vaccine may be given in either of 2 schedules:
 (a) Birth, 1-2 Months, 6-18 Months
 (b) 1-2 Months, 4 Months, 6-18 Months

<sup>&</sup>lt;sup>2</sup>DTP preparation containing acellular pertussis vaccine (DTaP) is recommended for the 4th and 5th doses (for children 15 months of age or older), but whole-cell DTP may still be used if DTaP is not available.

Combination DTP/Hib conjugate vaccine may be used when both shots are scheduled simultaneously.

<sup>\*</sup>There are 2 schedules for HID conjugate vaccines:

(A) HbOC (HibTITER\*\*), PRP-T (ActHB\*\*), or DTP/HbOC (TETRAMUNE\*\*); 2, 4, 6, & 12-15 Months

(B) PRP-OMP (PedvaxHB\*\*); 2, 4, & 12-15 Months

The second dose of MMR may be administered at 11-13 years of age.

Issued: 05/95

#### **APPENDIX 22**

# **ENVIRONMENTAL INSPECTION WORKSHEET**

PA/EI

Environmental Inspection Information/Requirements: [Technical aspects of inspection: 1) Determine the most likely sources of high-dose exposure to lead; 2) Investigate the child's home, giving special attention to painted surfaces, dust, soil and water; 3) Advise parents about identified and potential sources of lead and ways to reduce exposure; 4) Notify the property owner immediately that a child residing on the property has lead poisoning; 5) Monitor the effectiveness and timeliness of abatement procedures closely; 6) Coordinate environmental activities with those of other public health and social management agencies.]

Rem	inder: This form is required when submitting a paper prior authorization request.			
Prov	ider Number:			
	pient Medicaid Number:			
	edure Code: W7083 (Initial Inspection) - press *917083			
	W7084 (Follow-up Inspection) - press *917084			
Type	of Service: 9			
Diag	nosis: 984			
Place	e of Service: (If the child's home, enter 4. If other, enter 0)			
Antic	ipated Date of Service:(Enter MMDDYY)			
Quar	ntity Requested: 1			
	PA Request Checklist			
ALL	information must be provided in order to be processed.			
A)	Indicate recipient's blood lead level:			
	Indicate the date(s) of testing (use MMDDYY numeric format):			
B)	Has inspection staff completed DHSS-approved lead inspection training?			
	1 - Yes 2 - No			

An approved prior authorization request allows Wisconsin Medicaid payment for two services. An initial inspection (W7083) and one follow-up inspection (W7084). Where necessary, one Interperiodic visit for education related to lead poisoning may be billed. The code for this is W7017.

Issued: 05/95

# APPENDIX 23 WISCONSIN STAT PA INSTRUCTIONS TO OBTAIN PRIOR AUTHORIZATION FOR ENVIRONMENTAL LEAD INSPECTIONS

The Wisconsin STAT PA system is an electronic prior authorization system that allows Medicaid certified HealthCheck providers to receive prior authorization electronically rather than by mail. STAT PA allows you to answer a series of questions and receive an immediate response of approval or denial of your prior authorization request.

Providers communicate with the STAT PA system by entering requested information on a touch-tone telephone keypad, a personal computer or verbally through a Help Desk.

The system is available from 8:00 a.m. to 9:00 p.m., Monday through Friday, excluding holidays. Providers must have their eight-digit WMAP provider number to access the system.

# How to use STAT PA

- 1. Complete the Prior Authorization for Environmental Lead Inspection (PA/EI) worksheet. (This serves both as your documentation and worksheet for answering the questions on the STAT PA system.)
- 2. Select your mode of transmission (touch-tone phone, personal computer, help desk)

## Touch-Tone Phone

If you want to use a touch-tone phone to submit a prior authorization call:

1. (800) 947-1197 or (608) 221-2096

This connects you directly with the STAT PA system.

- 2. When the system answers, it will ask a series of questions that you answer by entering the information on the telephone keypad. Your completed worksheet gives you the information you need to answer these questions in the order they'll be asked. NOTE: When using a touch-tone telephone, providers must always press the pound (#) sign to mark the end of the data just entered.
- 3. Once all data has been entered, STAT PA begins to process the information and, in minutes, "speaks" back either the prior authorization number and the authorized level of service or a denial.

As providers become familiar with the system, they may enter information in the designated order without waiting for the "speaking" of the question to conclude. The system automatically proceeds to the next field when you do this.

# Personal Computer

If you want to use a personal computer to submit a prior authorization:

1. Enter the prior authorization information into the STAT PA software provided FREE by EDS. This software may be obtained electronically through EDS's bulletin board system, EDS-EPIX. Please refer to Appendix 24 of this handbook for instructions on how to access the Bulletin Board. You may also call the Help Desk at (800) 947-1197 or (608) 221-2096 to request software.

The STAT PA software screens contain all the data fields needed to process the request. Please refer to the STAT PA User Manual for software instructions.

WMAP Provider Handbook, Part D, Division I Issued: 05/95

1D5-074

# APPENDIX 23 WISCONSIN STAT PA INSTRUCTIONS TO OBTAIN PRIOR AUTHORIZATION FOR ENVIRONMENTAL LEAD INSPECTIONS

(continued)

2. Once all data has been entered, transmit the electronic request to EDS by using a modem and telephone line as is done for electronic claims. For submissions, call:

(800) 947-4947 or (608) 221-1233

This connects you directly with the STAT PA system.

STAT PA processes the information and, in minutes, generates an electronic confirmation transaction that displays directly on your personal computer screen. The transaction shows what you requested and what the system allowed, as well as the assigned prior authorization number, and grant and expiration dates.

# Help Desk

Providers who do not have a touch-tone telephone or a personal computer should call the Help Desk. The Help Desk operator has the personal computer software to access STAT PA and will enter the required data for you. For the Help Desk, call:

(800) 947-1197 or (608) 221-2096

# Record your prior authorization number for use with claim submission:

- Regardless of the way you request prior authorization, you must retain the assigned prior authorization number for use in claim submission.
- Providers also receive, by mail, a confirmation notice indicating the assigned prior authorization number and the STAT PA decision. This confirmation notice should be kept as a permanent record of the transaction.

## **HELPFUL HINTS**

- The provider is given three attempts at each field to correctly enter the requested data.
- Failure to enter any data within 1-1/2 minutes ends the connection.
- You are limited to 5 transactions per connection for telephone or Help Desk and 25 transactions per connection for computers.
- In the event the STAT PA system is unavailable before the inspection is made, you may request backdating of the prior authorization for up to four calendar days.
- The Help Desk is available to all STAT PA users. If you are experiencing difficulties with the system, please call the Help Desk.

**Issued: 02/95** 

# APPENDIX 24 HOW TO ACCESS THE BULLETIN BOARD

EDS-EPIX (V 1.1)

Quick Guide To Obtaining WMAP STAT PA Information

This is a quick guide to retrieving WMAP STAT PA Information using EDS-EPIX. If you wish to receive the complete EDS-EPIX User Manual, please call EDS at (608) 221-4746, and ask for the EMC Department.

1. Before downloading, we recommend that you create a directory on your hard drive specifically for your STAT PA software. To do this, type the following command at the C:\ prompt:

#### MD STATPA < Enter>

2. Set up your communication software to dial EDS-EPIX. Along with the telephone number you may need to program your software to dial with the following settings:

Phone Number: (608) 221-8824 Stop Bits: 1
Baud Rate: 9600 (maximum) Duplex: Full
Parity: None Protocol: XMODEM (recommended)
Data Bits: 8 Terminal Emulation: ANSI

3. Dial into EDS-EPIX. When you go through this initial logon, you will be asked your first and last names. If you wish, you may logon as follows:

What is your first name? STAT
What is your last name? PA
What is your password? WMAP

- 4. Select option T (Transfer Protocol) from the main menu. Next, select the protocol you wish to use for your download. We recommend that you select Xmodem/CRC as your protocol.
- 5. Select option "D" (Download a File) from the main menu and type the file name STATSOFT.EXE. Next, tell your communications software package to "Receive a File". If you are unsure of how to do this, follow the download instructions in the user manual for your communications software package. Your communications software will probably ask you for a transfer protocol (choose XMODEM), and a file name. When you type in the name of the file, please include the directory path you created above (e.g. C:\STATPA\STATSOFT.EXE). If you fail to specify the directory path with the file name, the file will be downloaded into the default download directory for your communications software. The download will take from 15-35 minutes depending on the speed of your modem and the clarity of your telephone line.
- 6. When you have downloaded your file, select "G" (Goodbye) to end your EDS-EPIX session, quit your communication software, and return to DOS.
- 7. Go to the STATPA subdirectory and look for your download file. It should be listed when you list the directory. If the download file is in the directory, you will need to decompress the file\*. At the DOS command prompt, type the name of the download file without the "EXE" extension:

### STATSOFT <Enter>

\* Note: If you did not download the STATSOFT.EXE file to the STATPA directory, copy the file to your STATPA directory before proceeding. To do this, go to the subdirectory where the file was downloaded, and type the following command:

# COPY STATSOFT.EXE C:\STATPA <Enter>

8. This will extract your STAT PA information. The files with the DOC extension are your manuals. These files are ASCII DOS text files. To print these files, use the DOS Print command: PRINT [filename]. The file will be printed on the print device you specify.